



| REF | PART NO. | QTY | DESCRIPTION | NOTES |
|-----|----------|-----|--------------------------------|--|
| 1 | 839392 | 1 | Lower gear | |
| 2 | 875523 | 1 | • Housing | |
| 3 | 851567 | 1 | • • Fin | (850012) PZ-2862967 |
| | | 1 | • • STEERING FIN | REPLACED BY 851452, 959440., (850492) PZ2862968- |
| | | | | PZ-28004759 |
| | 851452 | 1 | • • Fin | PZ28004760- |
| 4 | 959422 | 1 | • • • Hex. socket screw, SCREW | PZ-2862967 |
| | | | | L = 32 MM |
| | 959421 | 1 | • • Screw | PZ-2862967 |
| | | | | L = 25 MM 1/4"UNC |
| | 959439 | 1 | • • Hex. socket screw, SCREW | PZ2862968- |
| | | | | PZ-28004759 5/16"UNC |
| | 959440 | 1 | • • Hex. socket screw | PZ28004760- |
| 5 | 183497 | 1 | • • Needle bearing | |
| 6 | 941812 | 2 | • • Hex. socket screw | |
| 7 | | 1 | • • EXHAUST PORT | REPLACED BY 850443 (EXHAUST BELLOWS WITH CHECK VALVE),, PZ-2850005 |
| 8 | | 1 | • • • RUBBER LIP | |
| 9 | | 2 | • • • PLATE | |
| 10 | | 6 | • • • RIVET | |
| 11 | 839389 | 1 | • • • Bearing housing | |
| 12 | 832555 | 1 | • • • Countershaft | |
| 13 | 183374 | 1 | • • • Ball bearing | |
| 14 | 941832 | X | • • • Shim | TH = 0,05 MM |
| | 941833 | X | • • • Shim | TH = 0.20mm |
| 15 | 832191 | 1 | • • • Gasket | |
| 16 | 944970 | X | • • • Shim | TH = 1,60 MM |
| 17 | 11072 | 1 | • • • Roller bearing | |
| 18 | 944522 | X | • • • Shim | TH = 0,05 MM |
| | 42981 | X | • • • Shim | TH = 0.10mm |
| | 42980 | X | • • • Shim | TH = 0.35mm |
| 19 | 897387 | 1 | • • • Tensioning ring | |
| 20 | 907023 | 1 | • • • Lock washer | |
| 21 | 906633 | 1 | • • • Round nut | |
| 22 | 814482 | 1 | • • • Oil strainer | |
| 23 | 875524 | 1 | • • • Propeller shaft | |
| 24 | 183390 | 1 | • • • • Needle roller bushin | |
| 25 | 832624 | 1 | • • • Gear set | RATIO 1,61:1 |
| | 832628 | 1 | • • • Gear set | OBSOLETE PART, RATIO 1,89:1 |
| | 832632 | 1 | • • • Gear set | OBSOLETE PART, RATIO 2,15:1 |
| 26 | 948407 | X | • • • • Spring pin | |
| 27 | 814165 | 1 | • • • Washer | |
| 28 | 814164 | 1 | • • • Nut | |
| 29 | 832548 | 1 | • • • Pump rotor | |
| 30 | 914474 | 1 | • • • Snap ring | |
| 31 | 832725 | 1 | • • • Thrust ring | |
| 32 | 953449 | 6 | • • • Stud | |
| 33 | 955825 | 6 | • • • Hexagon nut | |
| 34 | 181366 | 1 | • • • Ball bearing | |
| 35 | 944561 | X | • • • Shim | TH = 0,05 MM |
| | 944562 | X | • • • Shim | TH = 0.10mm |
| | 851767 | X | • • • Shim | TH = 0.20mm |
| 36 | 907025 | 1 | • • • Lock washer | |
| 37 | 906635 | 1 | • • • Round nut | OBSOLETE PART |
| 38 | 897426 | 2 | • • • Sealing ring | |
| 39 | 925261 | 2 | • • • O-ring | |
| 40 | 875815 | 1 | • • • Zinc ring kit | |
| 41 | 941809 | 2 | • • • • Hex. socket screw | |
| 42 | 839423 | 1 | • • • Line cutter | |
| 43 | 897367 | 1 | • • • Lock washer | EARLY TYPE |
| 44 | 850889 | 1 | • • • Screw | LATE TYPE |
| 44A | 850888 | 1 | • • • Plastic washer | LATE TYPE |
| 45 | | 1 | • • • PROPELLER CONE | REPLACED BY 850785, 851261. |

| REF | PART NO. | QTY | DESCRIPTION | NOTES |
|-----|----------|-----|---------------------|--|
| | 850785 | 1 | • • • Spinner | |
| 45A | 851261 | 1 | • • • Spacer washer | FOR PROPELLER WITH SHORT HUB, PZ 28015547- |
| 46 | 839354 | 1 | • • • Plug | |
| 47 | 955974 | 1 | • • • O-ring | |
| 48 | 925256 | 1 | • • • O-ring | |
| 49 | 875183 | 1 | Splined sleeve | |
| 50 | 914508 | 1 | • Snap ring | |
| 51 | 941810 | 4 | Hex. socket screw | |
| 52 | 853095 | 4 | Washer | |