



9174

REF	PART NO.	QTY	DESCRIPTION	NOTES
1	838678	1	Injection pump	
2		1	• HOUSING	
3	844178	1	• Sealing ring	
4	838404	1	• Spring ring	
5	955784	1	• Nut	
6	838335	2	• Screw	
7	844185	1	• Flange	
8	844176	1	• O-ring	IK
9	244425	1	• Adjusting washer	
10	859932	X	• Shim	
	859933	X	• Shim	
11	859331	1	• Control plunger	
12	844182	1	• Piston pin kit	
13	858907	1	• Sliding block	
14	243519	1	• Valve	
15	243520	1	• Sealing ring	IK
16	243521	1	• Sealing ring	IK
17	838346	2	• Washer	IK
18	838345	2	• Screw	
19	844176	1	• O-ring	IK
20	844175	1	• Cover	SN-2203105093
	859305	1	• Cover	SN2203105094-
21	838335	2	• Screw	
22	859329	1	• Rotor	
23	860034	1	• Support ring	(244918)
24	838334	2	• Screw	
25	844146	1	• Washer	
26	844147	1	• Gear	
27	844148	1	• Shaft	
28	25464	1	• Key	
29	844293	1	• Key	
30	844150	1	• Absorber	IK
31	859341	1	• Bearing kit	
32	243500	1	• Companion flange	
33	859330	1		
34	243531	X	• Adjusting washer	TH = 1,80 MM
	243534	X	• Adjusting washer	TH = 1,94 MM
	845726	X	• Adjusting washer	TH = 2,00 MM
	844155	X	• Adjusting washer	TH = 2,12 MM
	844156	X	• Adjusting washer	TH = 2,20 MM
	845729	X	• Adjusting washer	TH = 2,32 MM
	845730	X	• Adjusting washer	TH = 2,40 MM
	243545	X	• Adjusting washer	TH = 2,50 MM
	844158	X	• Adjusting washer	TH = 2,52 MM
	844159	X	• Adjusting washer	TH = 2,60 MM
	844160	X	• Adjusting washer	TH = 2,72 MM
	844161	X	• Adjusting washer	TH = 2,80 MM
35	859334	1		
36	243527	1	• • Washer	
37	244809	1	• • Washer	
38	844162	1	• • Washer	
39	243555	1	• Sealing ring	IK
40	859462	2	• Spring	(844167)
41	844164	1	• Spring kit	
42	844163	2	• Washer	
43	844165	1	• Adjusting washer kit	
44	844166	2	• Pin	
45	844187	1	• Magnet	12V
46		1	• • SEAL RING	
47	844186	1	• Spring	IK
48	244931	3	• Allen head screw	
49	844171	1	• Plug	
50		1	• • AIR VENTING SCREW	
51	947620	1	• • Gasket	

REF	PART NO.	QTY	DESCRIPTION		NOTES
52	838402	1	· O-ring	IK	
53	845738	4	· Washer		
54	859335	4	· Delivery valve		
55	244928	4	· Compression spring		
56	244929	4	· Bushing		
57	244930	4	· Retainer		
58	838347	1	· Control shaft		
59	243786	1	· O-ring	IK	
60	844217	1	· Nut		
61	844215	1	· Adjusting washer kit		
62	845750	X	· Washer		TH = 1,30 MM
	845751	X	· Washer		TH = 1,35 MM
	844214	X	· Washer		TH = 1,40 MM
63	844213	1	· Control knob		
64	844212	1	· Regulator weight		
65	838348	1	· Spacer washer		
66	845754	1	· Control sleeve		
67	845755	1	· Cover		
68	845757	X	· Pin		L = 7,60 MM
	845758	X	· Pin		L = 7,80 MM
	845759	X	· Pin		L = 8,00 MM
	845760	X	· Pin		L = 8,20 MM
	845761	X	· Pin		L = 8,40 MM
	845762	X	· Pin		L = 8,60 MM
	845763	X	· Pin		L = 8,80 MM
	845764	X	· Pin		L = 9,00 MM
	845765	X	· Pin		L = 9,20 MM
	845766	X	· Pin		L = 9,40 MM
	845767	X	· Pin		L = 9,60 MM
	845768	X	· Pin		L = 9,80 MM
	845769	X	· Pin		L = 10,00 MM
	845770	X	· Pin		L = 10,20 MM
	845771	X	· Pin		L = 10,40 MM
69	859338	1			
70	859342	1			
71	859463	1	· Spring		(844223)
72	244938	1	· Washer		
73	844224	1	· O-ring		
74	844226	1	· Lever		
75	949607	1	· Spring washer		(838340)
76	955781	1	· Nut		
77	244959	1	· Control shaft		
78	244960	1	· Spacer ring		
79	243567	1	· Sealing ring	IK	
80	859339	1	· Spring		
81	244972	1	· Spring disc		
82	244971	1	· Spring disc		
83	244961	1	· Lever		
84	244969	1	· Lever		
85	955892	1	· Washer		
86	949607	1	· Spring washer		(838340)
87	244970	1	· Screw		
88	949607	1	· Spring washer		(838340)
89	940197	1	· Nut		
90	959208	4	· Allen head screw		
91		X	· PROTECTING SLEEVE		
92	843166	1	· Lock ring		
93		1	· COVER		
94	959208	4	· Allen head screw		
95	844237	1	· Hollow screw		
96	844229	1	· Stud		
97	955781	1	· Nut		
98	955781	2	· Nut		
99	859019	2	· Stud		

REF	PART NO.	QTY	DESCRIPTION		NOTES
100	244963	1	· O-ring	IK	
101	244962	1	· Adjuster screw		
102	25703	1	· Washer		
103	838343	1	· Nut		
104	859337	1	· Sealing ring		
105	838349	1	· Spring		
106	244937	1	· Shaft		
107	844220	1	· Washer		
108	844652	1	· Spacer sleeve, SPACER SLEEVE		
	844240		· Gasket kit		