



REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
1	833163	1	Camshaft		
2	910121	2	Key		
3	405079	1	Flange		
4	15256	2	Washer		
5	955295	2	Screw		
6	405026	1	Gear		
7	897248	1	Camshaft		
8	803348	1	Washer		
9	807031	1	Screw		SEE GROUP 2B
10	807393	4	Tappet		
11	403130	4	Push rod		
12	403561	2	Rocker arm, INTAKE		
	803247	2	Rocker arm, EXHAUST		
13	955800	4	· Lock nut		
14	403155	4	· Ball stud		
15	18146	4	· Bushing		
16	833222	2	Shaft		
17	191173	4	Adjusting washer		TH = 0,7 MM
18	914452	4	Lock ring		
19	833223	2	Bearing bracket		
20	955300	2	Screw		
21	833569	2	Stud	02A-1600	
22	833188	2	Valve		
	829620	2	Valve		
23	419653	2	Valve guide, INTAKE	02A-1600	
	829867	2	Guide sleeve, EXHAUST	02A-1600	
24	1306630	2	Valve seal, INTAKE		(833347)
25	829622	4	Valve spring		
26	403314	4	Washer		
27	403315	8	Lock		
28	896580	4	Valve cap	IK	
29	925053	2	O-ring	IK	
30	955800	2	Lock nut		
31	403155	2	Ball stud		
32	833499	2	Shaft		MO 12822-
33	803604	2	Spring		
34	919118	2	Set screw		
35	955781	2	Nut		
36	945292	2	Stud		MO 12823-
37	940344	2	Ball		MO 12823-
38	74033	2	Hollow screw	02A-1850	
39	957171	4	Gasket	IK 02A-1850	
40	829654	1	Cover		USA SPEC 867696
	840165	1	Timing gear casing		
41	803360	1	Gasket	IK	
42	950586	2	Pin	02A-0450	
43	833041	1	Bushing		SEE GROUP 2C
44	833496	1	Plug		MO 18347-
45	957191	1	Gasket	IK	MO 18347-
46	833766	1	Hatch		MO 22019-
47	957175	1	Gasket	IK	MO 22019-
48	16322	1	Plug		MO 22019-
49	897327	1	Gasket	IK	
50	955273	3	Screw		L = 22 MM
	955274	1	Screw		L = 25 MM
51	192356	1	Screw		
52	941906	5	Spring washer		
	955892	1	Washer		
53	945295	1	Screw		L = 110 MM
54	943795	1	Screw		L = 130 MM

REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
55	192357	1	Screw		L = 115 MM
56	955324	2	Screw		L = 60 MM
57	955332	1	Screw		L = 120 MM
57	945295	3	Screw		MD11D/120S
58	955318	2	Screw		L = 30 MM
59	942336	8	Spring washer		
65	833521	1	Plug		
66	957181	1	Gasket		
67	955894	4	Washer		MD11C SPEC 867420, MD11C/110S SPEC 867421.