



REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
1	833159	1	Camshaft		
2	910121	2	Key		
3	807498	1	Washer		
4	942411	2	Lock washer		
5	955294	2	Screw		
6	833018	1	Gear		
7	833484	1	Cam disc		
8	833275	1	Nut		
9	806256	1	Companion flange		
10	807393	6	Tappet		
11	403130	6	Push rod		
12	403561	3	Rocker arm, INTAKE		
	803247	3	Rocker arm, EXHAUST		
13	955800	6	· Lock nut		
14	403155	6	· Ball stud		
15	18146	6	· Bushing		
16	833222	3	Shaft		
17	191173	12	Adjusting washer		TH = 0,2 MM
18	914452	6	Lock ring		
19	833223	3	Bearing bracket		
20	955300	3	Screw		
21	833569	3	Stud	02A-1550	
22	833188	3	Valve		
	829620	3	Valve		
23	419653	3	Valve guide, INTAKE	02A-1550	
	829867	3	Guide sleeve, EXHAUST	02A-1550	
24	833347	3	Gasket, INTAKE		MO-20766. REPLACED BY 1306630.
25	829622	6	Valve spring		
26	403314	6	Washer		
27	403315	12	Lock		
28	896580	6	Valve cap	IK	
29	925053	3	O-ring	IK	
30	955800	3	Lock nut		
31	403155	3	Ball stud		
32		3	SHAFT		MO-633. REPLACED BY 3EA 833499 + 3EA 945292 + 3EA 940344.
	833499	3	Shaft		MO 634-
33	803604	3	Spring		
34	919118	3	Set screw		
35	955781	3	Nut		
36	897390	3	Screw		MO-633
	945292	3	Stud		MO 634-
37	807042	3	Ball		MO-633
	940344	3	Ball		MO 634-
38	833062	1	Timing gear casing		
39	833041	1	· Bushing		
40	833044	1	Gasket	IK	
41	950586	2	Pin	02A-0500	
42		1	COVER		MO-3846. REPLACED BY 1EA 833767 + 1EA 957175 + 1EA 16322.
	833767	1	Hatch		MO 3847-
43	957175	1	Gasket	IK	MO 3847-
44	16322	1	Plug		MO 3847-
45	833174	1	Gasket	IK	
46	192356	1	Screw		L = 20 MM
	955273	3	Screw		L = 22 MM
47	940101	1	Screw		L = 40 MM
48	941906	5	Spring washer		
49	912118	1	Spacer sleeve		
50	61822	1	Rubber plug		
51	833521	1	Plug		ALT
52	957181	1	Gasket		ALT
53			REV. COUNTER SENDER		SEE GROUP 3
54	959247	6	Screw		L = 70 MM

REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
55	959245	1	Screw		L = 60 MM
56	947048	1	Screw		L = 80 MM
57	943835	1	Plug		
58	942336	9	Spring washer		(941908)
59	943842	1	Screw		MO 13994-
60	74033	3	Hollow screw	02A-1900	
61	957171	6	Gasket	IK	