



4852

| REF | PART NO. | QTY | DESCRIPTION | NOTES |
|-----|----------|-----|----------------------------|--|
| 1 | | | CABLE | |
| | 954443 | X | Cable, 5 SQ MM BLACK | |
| | 954444 | X | Cable, 5 SQ MM BROWN | |
| | 954445 | X | Cable, 5 SQ MM RED | |
| | 954446 | X | Cable, 5 SQ MM YELLOW | |
| | 954447 | X | Cable, 5 SQ MM GREEN | |
| | 954448 | X | Cable, 5 SQ MM BLUE | |
| | 954449 | X | Cable, 5 SQ MM GREY | |
| | 954450 | X | Cable, 5 SQ MM IVORY | |
| | 961795 | X | Cable, 5 SQ MM IVORY/ BLUE | |
| | 954451 | X | Cable, 5 SQ MM BLACK | |
| | 954452 | X | Cable, 5 SQ MM BROWN | |
| | 954453 | X | Cable, 5 SQ MM RED | |
| | 954455 | X | Cable, 5 SQ MM GREEN | |
| | 954456 | X | Cable, 5 SQ MM BLUE | |
| | 954458 | X | Cable, 5 SQ MM IVORY | |
| | 954459 | X | | |
| | 954461 | X | Cable | |
| | 954464 | X | Cable | |
| | 954465 | X | Cable | |
| | 954467 | X | Cable | |
| | 954469 | X | Cable | |
| | 954471 | X | Cable | |
| | 954472 | X | | |
| | 954474 | X | | |
| | 954477 | X | | |
| | 954485 | X | Cable | |
| | 954487 | X | | |
| | 954500 | X | Cable | |
| | 954502 | X | Cable | |
| 2 | 185501 | X | Outer casing | D = 9 MM, I.D = 8 MM |
| | 185504 | X | Hose | D = 11,5 MM, I.D = 8 MM |
| | 185506 | X | Outer casing | D = 6 MM, I.D = 5 MM |
| | 185507 | X | Outer casing | D = 11 MM, I.D = 10 MM |
| | 185508 | X | Local part | D = 16 MM, I.D = 14 MM |
| | 185509 | X | Outer casing | D = 19 MM, I.D = 15 MM |
| 3 | 948210 | X | Strip clamp | (827353) NYLON |
| | 335146 | X | Tie straps | AL |
| 4 | 942559 | X | | |
| | 942659 | X | • Terminal block | |
| | 942660 | X | • Terminal block | |
| | 942558 | X | • Terminal block | |
| | 942661 | X | • Terminal block | |
| | 942662 | X | • Terminal block | |
| 5 | 182010 | X | • Coupling piece | MAX 15 SQ MM |
| | 190128 | X | • Coupling piece | MAX 15 SQ MM |
| | 190476 | X | • Coupling piece | MAX 15 SQ MM |
| | 941412 | X | • Coupling piece | MAX 20 SQ MM |
| 6 | 956924 | X | Cable terminal | I.D = 3,7 MM D = 5,6 MM. POUR SECTION CABLE 0,5-1,5 MILLIM% ² TRE-CARR% ¹ E1 |
| 7 | 881516 | X | Cable terminal | I.D = 3,5 MM D = 5,5 MM. POUR SECTION CABLE 0,5-1,5 MILLIM% ² TRE-CARR% ¹ E1 |
| | 881492 | X | Cable terminal | I.D = 4,3 MM D = 8,7 MM. FOR CABLE AREA 1,5-2,5 SQMM. |
| | 881493 | X | Cable terminal | I.D = 5,2 MM D = 8,7 MM. FOR CABLE AREA 1,5-2,5 SQMM. |
| | 881508 | X | Cable terminal | I.D = 6,7 MM D = 11,9 MM. FOR CABLE AREA 1,5-2,5 SQMM. |
| | 881494 | X | Cable terminal | I.D = 8,3 MM D = 11,9 MM. FOR CABLE AREA 1,5-2,5 SQMM. |
| | 881504 | X | Cable terminal | I.D = 10,5 MM D = 15,9 MM. FOR CABLE AREA 1,5-2,5 SQMM. |
| | 881506 | X | Cable terminal | I.D = 4,3 MM D = 9,5 MM. FOR CABLE AREA 3,0-6,0 SQMM. |
| | 881495 | X | Cable terminal | I.D = 5,2 MM D = 9,5 MM. FOR CABLE AREA 3,0-6,0 SQMM. |
| | 881496 | X | Cable terminal | I.D = 6,7 MM D = 12,7 MM. FOR CABLE AREA 3,0-6,0 SQMM. |
| | 881497 | X | Cable terminal | I.D = 8,3 MM D = 12,7 MM. FOR CABLE AREA 3,0-6,0 SQMM. |
| | 881498 | X | Cable terminal | I.D = 10,5 MM D = 15,4 MM. FOR CABLE AREA 3,0-6,0 SQMM. |
| | 881500 | X | Cable terminal | I.D = 5,2 MM D = 15,9 MM. FOR CABLE AREA 10,5-16,0 SQMM. |

| REF | PART NO. | QTY | DESCRIPTION | NOTES |
|-----|----------|-----|--------------------|---|
| 7 | 881501 | X | Cable terminal | I.D = 6,7 MM D = 15,9 MM. FOR CABLE AREA 10,5-16,0 SQMM. |
| | 881502 | X | Cable terminal | I.D = 8,3 MM D = 15,9 MM. FOR CABLE AREA 10,5-16,0 SQMM. |
| | 881507 | X | Cable terminal | I.D = 10,5 MM D = 15,9 MM. FOR CABLE AREA 10,5-16,0 SQMM. |
| | 949591 | X | Cable terminal | I.D = 4,3 MM D = 8 MM. FOR CABLE AREA 6,5-10,5 SQMM. |
| 8 | 881483 | X | Cable terminal | L = 7,7 MM B = 7,6 MM. FOR CABLE AREA 1,5-2,5 SQMM. |
| | 881484 | X | Cable terminal | L = 7,7 MM B = 7,6 MM. FOR CABLE AREA 3,0-6,0 SQMM. |
| 9 | 881485 | X | Cable terminal | L = 7,7 MM B = 7,6 MM. FOR CABLE AREA 1,5-2,5 SQMM. |
| | 881486 | X | Cable terminal | L = 7,7 MM B = 7,6 MM. D70B SPEC.867060. TD70B SPEC.867066. D70B SPEC.867055 ALT. |
| | 965883 | X | | L = 7,7 MM B = 7,6 MM. FOR CABLE AREA 0,75-2,0 SQMM. |
| 10 | 881517 | X | | L = 6,2 MM B = 5,6 MM. POUR SECTION CABLE 0,5-1,5 MILLIM% E2TRE-CARR% E1 |
| 11 | 881491 | X | Cable terminal | L = 7,7 MM B = 7,6 MM. FOR CABLE AREA 1,5-2,5 SQMM. |
| 12 | 881487 | X | Cable terminal | L = 15,7 MM B = 6,3 MM. FOR CABLE AREA 1,5-2,5 SQMM. |
| | 881488 | X | Cable terminal | L = 15,7 MM B = 6,3 MM. FOR CABLE AREA 3,0-6,0 SQMM. |
| 13 | 881518 | X | Cable terminal | L = 10 MM B = 6,3 MM. FOR CABLE AREA 1,5-2,5 SQMM. |
| 14 | 881509 | X | Cable terminal | I.D = 4,4 MM D = 9,8 MM. FOR CABLE AREA 1,5-2,5 SQMM. |
| | 881505 | X | Cable terminal | I.D = 5,2 MM D = 8,7 MM. FOR CABLE AREA 1,5-2,5 SQMM. |
| | 881511 | X | Cable terminal | I.D = 4,4 MM D = 8 MM. FOR CABLE AREA 3,0-6,0 SQMM. |
| 15 | 942429 | X | Cable terminal | I.D = 1,8 MM L = 14,4 MM. FOR CABLE AREA 1,5-2,5 SQMM. |
| | 942430 | X | | D = 2,6 MM L = 20,6 MM. FOR CABLE AREA 3,0-6,0 SQMM. |
| 16 | 956956 | X | Splice | L = 26 MM. POUR SECTION CABLE 0,5-1,5 MILLIM% E2TRE-CARR% E1 |
| | 956958 | X | Splice | L = 26 MM. FOR CABLE AREA 1,5-2,5 SQMM. |
| | 956960 | X | Splice | L = 28 MM. FOR CABLE AREA 3,0-6,0 SQMM. |
| 17 | 829311 | X | Spade terminal | I.D = 5,2 MM B = 6,35 MM |
| 18 | 959046 | X | Protecting sleeve | I.D = 9 MM |
| 19 | 76614 | X | Rubber collar | |
| | 841234 | X | Rubber collar | |
| 20 | 673580 | X | Rubber collar | |
| 21 | 941269 | X | Cable grommet | D = 25 MM |
| 22 | 958213 | X | Housing | |
| 23 | 958212 | X | Receptacle housing | |
| 24 | 941104 | X | Receptacle housing | |
| 25 | 941105 | X | Receptacle housing | |
| 26 | 945830 | X | Receptacle housing | |
| 27 | 945831 | X | Tab housing | |
| 28 | 1214948 | X | Receptacle housing | |
| 29 | 949181 | X | Receptacle housing | |