

REF	PART NO.	QTY	DESCRIPTION	NOTES
1	242872	1	Centrifugal governor	
2	242829	1		
3	242437	1	· Gasket	
4	236316	1	· Gasket	
5	242439	3	· Stud	
6	941906	3	· Spring washer	
7	236668	4	· Nut	
8	242232	4	· Screw	
9	115825	1		
10	236652	7	· Screw	
11	236695	4	· Gasket	
12	236195	1	· Plug	
13	242641	1	· Washer	
14	242830	1	· Pin	
15	242440	1	· Cover	
16	242441	1	· Screw	
17	242442	1	· Nut	
18	242637	1	· Set screw	
19	242629	X	· Adjusting washer	TH = 0,1 MM
	242630	X	· Adjusting washer	TH = 0,2 MM
	242444	X	· Washer	TH = 0,3 MM
20	78378	2	· Lock washer	
21	242631	1	· Washer	
22	242446	2	· Retainer	
23	125024	2	· Seal	
24	242447	1		
25	242831	1	· Spring	
26	242636	1	· Lever	
27	910115	1	· Key	
28	242069	1	· Spring washer	
29	242070	1	· Nut	
30	242638	1	· Screw	
31	242632	1	· Washer	
32	236666	4		
33	236667	2		
34	242465	1	· Nut	
35	236329	1		
36	242881	1	· Link	
37	242627	1		
38	242452	1	· Lever	
39	236789	1	· Cotter pin	
40	242235	1	· Shaft	
41	242453	1	· Block	
42	236087	1		
43	236089	1	· Shaft	
44	236725	2		
45	242635	2		
46	236320	2	· Gasket	
47	236333	1	· Shaft	
48	242454	1	· Cover	
49	236742	1		
50	236110	1	· Gasket	
51	242241	4	· Screw	
52	941906	4	· Spring washer	
53	242457	1	· Washer	
54	242104	1	· Nut	
55	236791	2	· Lever	
56	236730	1	· · Eccentric shaft	
57	236736	1	· · Sealing ring	
58	242075	1	· · Bearing flange	
59	242077	1	· · Adjuster screw	
60	242712	1	· · Screw	
61	242455	2	· · Nut	
62	242078	1	· · Stop ring	

REF	PART NO.	QTY	DESCRIPTION	NOTES
63	242835	1		
64	242079	1	• • Lever	
65	236685	1	• • Screw	
66	941906	1	• • Spring washer	
67	242833	1	• Piston	
68	236038	1		
69	236740	1	• • Adjuster screw	
70		1	• • PISTON	
71	236348	1	• • Spring	
72	242633	1	• • Washer	
73	236352	X		
74	236353	1	• • Adjuster screw	
75	242714	1	• Gasket	
76	955270	1	• Screw	
77	242054	1	• Spring washer	
78	236726	1	• Cube	
79	236101	2	• Adjusting nut	
80	236383	2	• Spring disc	
81	236021	2	• Spring	
82	808293	2	• Spring	
83	236115	2	• Spring	
84	236114	2	• Washer	
85	236384	2	• Spring disc	
86	236069	2	• Washer	
87	236654	1	• Regulator weight	
88	242068	1	• Regulator	
89	236305	1	• Angle lever	
90	236116	2	• • Bushing	
91	236658	2	• • Bushing	
92	236706	1	• Angle lever	
93	236116	2	• • Bushing	
94	236658	2	• • Bushing	
95	236098	1	• Shaft	
96	236097	2	• Shaft	
97	236102	4	• Shaft	
98	236103	4	• Lock ring	
99	236707	1		
100	236719	1	• Striker plate	
101	242836	2	• Washer	
102	236109	1	• Lock washer	
103	242837	1	• Lock ring	
104	242072	4	• Absorber	
105	242071	1	• Sleeve	
106	236787	1	• Sleeve	
107	236721	1		
108	242828	1		
109	242095	X		TH = 1,75 MM
	242096	X		TH = 1,83 MM
	242097	X		TH = 1,91 MM
	242098	X		TH = 1,99 MM
	242099	X	• • Spacer washer	TH = 2,07 MM
	242100	X	• • Spacer washer	TH = 2,15 MM
	242101	X		TH = 2,23 MM
110	236712	1	• • Pin	
111	236711	1	• • Spring	
112	236710	1	• • Spring	
113	236708	1	• • Sleeve	
114	236722	1		
115	236203	1	• • Lock pin	
116	329045	1		
117	236709	1		