



7043

| REF | PART NO. | QTY | DESCRIPTION           | NOTES  |
|-----|----------|-----|-----------------------|--|
| 1   | 3825267  | 1   | Governor              | For 1800 RPM should governor springs 847533, 847909 be used. |
| 2   |          | 1   | • Regulator housing   |  |
| 3   |          | 1   | • • Regulator housing |  |
| 4   |          | 2   | • • • Bushing         |  |
| 5   |          | 3   | • • Shaft             |  |
| 6   |          | 1   | • • • Lever           |  |
| 7   |          | 1   | • • Screw             |  |
| 8   |          | 1   | • • Spring            |  |
| 9   |          | 2   | • • Gasket            |  |
| 10  |          | 2   | • • Washer            |  |
| 11  |          | X   | • • Washer            | TH = 0,30mm  |
| 12  |          | 2   | • • Lock pin          |  |
| 13  | 77582    | 1   | • • Key               |  |
| 14  |          | 1   | • • Link arm          |  |
| 15  | 955246   | 1   | • • Screw             |  |
| 16  | 956095   | 7   | • Screw               |  |
| 17  |          | 1   | • Screw               |  |
| 18  | 941906   | 8   | • Spring washer       |  |
| 19  | 1698168  | 1   | • Gasket              | (240058)   |
| 20  |          | 2   | • Plug                |  |
| 21  |          | 2   | • Gasket              |  |
| 22  |          | 1   | • Protecting casing   |  |
| 23  | 240017   | 1   | • Gasket              |  |
| 24  |          | 1   | • Small parts kit     |  |
| 25  |          | 1   | • • Screw kit         |  |
| 26  |          | 1   | • • Companion flange  |  |
| 27  |          | 4   | • • Rubber damper     |  |
| 28  |          | 1   | • • Cardboard tube    |  |
| 29  |          | 1   | • • Nut               |  |
| 30  |          | X   | • • Shim              | TH = 1,60mm  |
|     |          | X   | • • Shim              | TH = 1,63mm  |
|     |          | X   | • • Shim              | TH=1,66mm  |
|     |          | X   | • • Shim              | TH = 1,69mm  |
|     |          | X   | • • Shim              | TH = 1,72mm  |
|     |          | X   | • • Shim              | TH = 1,75mm  |
|     |          | X   | • • Shim              | TH = 1,78mm  |
|     |          | X   | • • Shim              | TH = 1,81mm  |
|     |          | X   | • • Shim              | TH = 1,84mm  |
|     |          | X   | • • Shim              | TH = 1,87mm  |
|     |          | X   | • • Shim              | TH = 1,90mm  |
|     |          | X   | • • Shim              | TH = 1,93mm  |
|     |          | X   | • • Shim              | TH = 1,96mm  |
|     |          | X   | • • Shim              | TH=1,99mm  |
|     |          | X   | • • Shim              | TH=2,02mm  |
|     |          | X   | • • Shim              | TH=2,05mm  |
|     |          | X   | • • Shim              | TH=2,08mm  |
|     |          | X   | • • Shim              | TH=2,11mm  |
|     |          | X   | • • Shim              | TH=2,14mm  |
| 31  | 848304   | 2   | • Regulator spring    | 1500/1800 RPM  |
| 32  |          | 2   | • Spring disc         |  |
| 33  | 849828   | 2   | • Regulator spring    | 1500 RPM   |
|     | 847533   | 2   | • Regulator spring    | 1800 RPM   |
| 34  | 849829   | 2   | • Regulator spring    | 1500 RPM   |
|     | 847909   | 2   | • Regulator spring    | 1800 RPM   |
| 35  |          | 2   | • Spring disc         |  |
| 36  |          | 2   | • Nut                 |  |
| 37  |          | 1   | • Bushing             |  |
| 38  | 955271   | 2   | Screw                 |  |
| 39  |          | 2   | • Striker plate       |  |
| 40  |          | 1   | • Bearing bolt        |  |
| 41  |          | 1   | • Link section        |  |
| 42  |          | 1   | • Washer              |  |
| 43  |          | 1   | • Spring              |  |
| 44  |          | 1   | • Guide lug           |  |

| REF | PART NO. | QTY | DESCRIPTION      | NOTES |
|-----|----------|-----|------------------|-------|
| 45  |          | 1   | · Lock spring    |       |
| 46  |          | 2   | · Screw          |       |
| 47  |          | 2   | · Washer         |       |
| 48  |          | 1   | · Fork           |       |
| 49  |          | 1   | · Bolt           |       |
| 50  |          | 1   | · Lock spring    |       |
| 51  |          | 1   | · Cover          |       |
| 52  |          | 1   | · · Cover        |       |
| 53  |          | 2   | · · · Bushing    |       |
| 54  |          | 1   | · · · Bushing    |       |
| 55  | 910112   | 1   | · · Key          |       |
| 56  |          | 2   | · · Sealing ring |       |
| 57  | 239316   | 1   | · · Lever        |       |
| 58  | 955272   | 1   | · · · Screw      |       |
| 59  |          | 1   | · · Shaft        |       |
| 60  |          | 1   | · · Screw        |       |
| 61  | 955781   | 1   | · · Nut          |       |
| 62  |          | 1   | · · Screw        |       |
| 63  | 18836    | 1   | · · Gasket       |       |
| 64  |          | 1   | · · Lever        |       |
| 65  |          | 2   | · · Pin          |       |
| 66  |          | 2   | · · Washer       |       |
| 67  |          | 2   | · · Stud         |       |
| 68  | 1698167  | 1   | · Gasket         |       |
| 69  |          | 2   | · Sleeve         |       |
| 70  |          | 1   | · Cover          |       |
| 71  |          | 1   | · Gasket         |       |
| 72  |          | 1   | · Gasket         |       |
| 73  |          | 1   | · Screw          |       |
| 74  |          | 1   | · Screw          |       |
| 75  | 941906   | 2   | · Spring washer  |       |
| 76  |          | 1   | · Screw          |       |
| 77  |          | 1   | · Nut            |       |
| 78  |          | 1   | · Screw          |       |
| 79  |          | 6   | · Screw          |       |
| 80  |          | 1   | · Guide screw    |       |
| 81  | 18836    | 1   | · Gasket         |       |
| 82  |          | 1   | · Arm            |       |
| 83  |          | 1   | · Stop, shoulder |       |