



REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
1	864084	1	Regulator	SO	
2	848220	1	· Regulator weight		
3		1	· Key		
4		1	· Nut		
5		1	· Washer		
6	1698168	1	· Gasket		
7		1	· Regulator housing		
8		1	· Screw		
9	940197	1	· Nut		
10		1	· Companion flange		
11	956075	1	· Screw		
12		1	· Washer		
13	955780	1	· Nut		
14		1	· Regulator cover		
15		1	· · Cover		
16		1	· · · Arm		
17		1	· · · Tensioning arm		
18	239017	1	· · · Shaft		
19	240374	1	· · · Plug		
20		1	· · · Screw		
21		1	· · · Lever		
22		1	· · · Cube		
23	951667	2	· · · Lock ring		(848218)
24		1	· · · Lever		
25	940197	1	· · · Nut		
26		1	· · · Nut		
27		1	· · · Control arm		
28		1	· · · · Screw		
29		2	· · · Bushing		
30	864475	2	· · · O-ring		
31	942796	2	· · · Retaining ring		
32		1	· · · Cover		
33	864476	1	· · · O-ring		
34	238132	2	· · · Shim		TH = 1,00mm
		2	· · · Shim		TH = 0,30mm
	847520	2	· · · Shim		TH = 0,50mm
35	239039	1	· · · Arm		
36	955271	1	· · · Screw		
37	949607	1	· · · Spring washer		
38	955892	1	· · · Washer		
39	239040	1	· · · Spring		
40		1	· · · Bushing		
41		1	· · · Shaft		
42		1	· · · Link arm end		
43		1	· · · Sleeve		
44		1	· · · Spring		
44A		1	· · · Spring		
44B		1	· · · Spring		
45		1	· · · Brace		
46	862814	1	· · · O-ring		
47		1	· · · Lever		
48	955271	1	· · · Screw		
49	949607	1	· · · Spring washer		
50		1	· · · Shim		
51		1	· · · Adjuster screw		
52		1	· · · Nut		
53	190990	2	· · · Gasket		
54		1	· · · Cap nut		
55		1	· · · Screw		
56		1	· · · Spring		
57		1	· · · Nut		
58	18839	1	· · · Gasket		
59		1	· · · Washer		
60		1	· · · Needle bearing		

REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
61		1	· · Bushing		
62	239164	1	· · Tensioning ring		
63		1	· · Screw		
64	848741	1	· Cover		
65	848740	1	· Sealing ring		
66	845229	2	· Screw		
67	955268	2	· Screw		
68	956100	2	· Screw		
69		4	· Screw		
70	11992560	1	· Gasket		
71		1	· Nut		
72	18839	1	· Gasket		
73		1	· Plug		
74	956095	4	· Screw		
	969423	4	· Screw		(956097)
75	949607	8	· Spring washer		
76		1	· Bracket		
77	845009	1	· Spring		
78		1	· Bushing		
79		1	· Smoke limiter		
				2125	