


230A, 230B, 250A, 250B



9702

230A, 230B, 250A, 250B

| REF | PART NO. | QTY | DESCRIPTION | NOTES |
|-----|----------|-----|-----------------------|-----------------------------|
| 1 | | X | Electric cable, CABLE | |
| | | | | IVORY/BLACK |
| | | X | Electric cable, CABLE | RK 0,75 SQ MM |
| | | | | IVORY/RED |
| | | X | Electric cable, CABLE | RK 0,75 SQ MM |
| | | | | GREEN/BLACK |
| | | X | Electric cable, CABLE | RK 0,75 SQ MM |
| | | | | GREEN/RED |
| | 954443 | X | Electric cable | RK 1,5 SQ MM, BLACK |
| | 954444 | X | Electric cable | RK 1,5 SQ MM, BROWN |
| | 954445 | X | Electric cable | RK 1,5 SQ MM, RED |
| | | X | Electric cable | RK 1,5 SQ MM, PURPLE |
| | | X | Electric cable | RK 1,5 SQ MM, YELLOW |
| | | X | Electric cable | RK 1,5 SQ MM, GREEN |
| | | X | Electric cable | RK 1,5 SQ MM, BLUE |
| | | X | Electric cable | RK 1,5 SQ MM, GREY |
| | | X | Electric cable | RK 1,5 SQ MM, IVORY |
| | | X | Electric cable, CABLE | RK 1,5 SQ MM |
| | | | | IVORY/BLACK |
| | | X | Electric cable, CABLE | RK 1,5 SQ MM |
| | | | | IVORY/BLUE |
| | | X | Electric cable, CABLE | RK 1,5 SQ MM |
| | | | | IVORY/GREEN |
| | | X | Electric cable, CABLE | RK 1,5 SQ MM |
| | | | | GREEN/BLUE |
| | | X | Electric cable, CABLE | RK 1,5 SQ MM |
| | | | | BLUE/YELLOW |
| | | X | Electric cable, CABLE | RK 1,5 SQ MM |
| | | | | GREEN/YELLOW |
| | 954451 | X | Electric cable | RK 2,5 SQ MM, BLACK |
| | | X | Electric cable | RK 2,5 SQ MM, BROWN |
| | | X | Electric cable | RK 2,5 SQ MM, RED |
| | | X | Electric cable | RK 2,5 SQ MM, GREEN |
| | | X | Electric cable | RK 2,5 SQ MM, BLUE |
| | | X | Electric cable | RK 2,5 SQ MM, IVORY |
| | 954461 | X | Electric cable | RK 4 SQ MM, RED |
| | | X | Electric cable | RK 4 SQ MM, BLUE |
| | | X | Electric cable | RK 4 SQ MM, GREY |
| | | X | Electric cable | RK 4 SQ MM, GREEN |
| | 954467 | X | Electric cable | RK 6 SQ MM, BLACK |
| | 954469 | X | Electric cable | RK 6 SQ MM, RED |
| | | X | Electric cable | RK 6 SQ MM, GREEN |
| | 954485 | X | Electric cable | RK 16 SQ MM, RED |
| | | X | Electric cable | RK 25 SQ MM, RED |
| | 954502 | X | Electric cable | RK 35 SQ MM, RED |
| 2 | 862989 | X | Cable | 2X1,5 SQ MM CLASS |
| | 862991 | X | Cable | 19X1,5 SQMM CLASS |
| | 863657 | X | Cable | ARMOURED, 2X1,5 SQ MM CLASS |
| | | X | Cable | 3X1,5 SQMM CLASS |
| | 846273 | X | Cable | 4X1,5 SQMM CLASS |
| | | X | Cable | 7X1,5 SQMM CLASS |
| | | X | Cable | 12X1,5 SQMM CLASS |
| | 846639 | X | Electric cable | 16X1,5 SQMM CLASS |
| | 842091 | X | Cable | 2X2,5 SQMM CLASS |
| | 844578 | X | Cable | 4X2,5 SQMM CLASS |
| | | X | Cable | 3X6 SQMM CLASS |
| | | X | Cable | 3X16 SQMM CLASS |
| | | X | Cable | 2X6+2X1,5 SQMM CLASS |
| | 846346 | X | Cable | 2X16+2X1,5 SQMM CLASS |
| 3 | | X | Hose | D = 9 MM, I.D = 8 MM |
| | | X | Hose | (949988) |
| | | | | D = 11,5 MM, I.D = 8 MM |
| | | X | Hose | D = 6 MM, I.D = 5 MM |

230A, 230B, 250A, 250B

| REF | PART NO. | QTY | DESCRIPTION | NOTES |
|-----|----------|-----|----------------|------------------------------------------------------------------------------------------------|
| 3 | | X | Hose | D = 11 MM, I.D = 10 MM |
| | | X | Outer casing | D = 19 MM, I.D = 15 MM |
| 4 | | X | Cable mark | FOR GROUND WIRE, FOR CABLE AREA 1-2,5 SQMM |
| 5 | 948210 | X | Cable tie | NYLON |
| | | X | Cable tie | AL |
| 6 | 942659 | X | Terminal block | 4-WAY. |
| | | X | Terminal block | 6-WAY |
| | | X | Terminal block | 8-WAY. |
| | | X | Terminal block | 10-WAY. |
| 7 | 182010 | X | Terminal block | 12-WAY. |
| | | X | Coupling piece | 2-WAY., MAX 15SQ MM |
| | | X | Coupling piece | 5-WAY., MAX 15SQ MM |
| | | X | Coupling piece | 6-WAY, (182008) |
| 8 | | X | Coupling piece | MAX 20SQ MM |
| | | X | Coupling piece | 3-WAY., MAX 20SQ MM |
| | 956927 | X | Cable terminal | POUR SECTION CABLE 0,5-1,5 MILLIM% ϵ 2TRE-CARR% ϵ 1, I.D = 3,7 MM D = 5,6 MM |
| | | X | Cable terminal | FOR CABLE AREA 1,5-2,5 SQMM., I.D = 3,7 MM D = 17 MM |
| | 956928 | X | Cable terminal | FOR CABLE AREA 1,5-2,5 SQMM., I.D = 4,3 MM D = 18 MM |
| | | X | Cable terminal | POUR SECTION CABLE 0,5-1,5 MILLIM% ϵ 2TRE-CARR% ϵ 1, I.D = 3,5 MM D = 5,5 MM |
| | 881516 | X | Cable terminal | FOR CABLE AREA 2,7-6,6 SQMM, I.D = 3,7 MM D = 7,1 MM |
| | | X | Cable terminal | FOR CABLE AREA 6,5-10,5 SQMM., I.D = 4,3 MM D = 8 MM |
| | 881492 | X | Cable terminal | FOR CABLE AREA 0,75-2,0 SQMM., I.D = 4,3 MM D = 8,7 MM |
| | 881506 | X | Cable terminal | FOR CABLE AREA 3,0-6,0 SQMM., I.D = 4,3 MM D = 9,5 MM |
| | 881493 | X | Cable terminal | FOR CABLE AREA 1,5-2,5 SQMM., I.D = 5,2 MM D = 8,7 MM |
| | 881495 | X | Cable terminal | FOR CABLE AREA 3,0-6,0 SQMM., I.D = 5,2 MM D = 9,5 MM |
| | 881512 | X | Cable terminal | FOR CABLE AREA 10,5-16,5 SQMM, (958235) |
| | | | | I.D = 5,2 MM D = 15,9 |
| | 940331 | X | Cable terminal | FOR CABLE AREA 6,1-10SQMM, I.D = 5,3 MM D = 10 MM |
| | 940335 | X | Cable terminal | FOR CABLE AREA 16 SQMM, I.D = 6,5 MM D = 16 MM |
| | 881508 | X | Cable terminal | FOR CABLE AREA 1,5-2,5 SQMM., I.D = 6,7 MM D = 11,9 MM |
| | 881496 | X | Cable terminal | FOR CABLE AREA 3,0-6,0 SQMM., I.D = 6,7 MM D = 12,7 MM |
| | 940335 | X | Cable terminal | FOR CABLE AREA 10,5-16,0 SQMM., (881501) |
| | | | | I.D = 6,7 MM D = 15,9 MM |
| | 881494 | X | Cable terminal | FOR CABLE AREA 1,5-2,5 SQMM., I.D = 8,3 MM D = 11,9 MM |
| | 881497 | X | Cable terminal | FOR CABLE AREA 3,0-6,0 SQMM., I.D = 8,3 MM D = 12,7 MM |
| | 940333 | X | Cable terminal | FOR CABLE AREA 6,5-10,5 SQMM., I.D = 8,3 MM D = 15,1 MM |
| | 881502 | X | Cable terminal | FOR CABLE AREA 10,5-16,0 SQMM., I.D = 8,3 MM D = 15,9 MM |
| | 940336 | X | Cable terminal | FOR CABLE AREA 16 SQMM, I.D = 8,4 MM D = 14 MM |
| | 940337 | X | Cable terminal | FOR CABLE AREA 6,5-10,5 SQMM., I.D = 10,5 MM D = 18 MM |
| | 881498 | X | Cable terminal | FOR CABLE AREA 3,0-6,0 SQMM., I.D = 10,5 MM D = 15,4 MM |
| 10 | | X | Cable terminal | FOR CABLE AREA 0,75-2,5 SQMM, I.D = 4,5 MM D = 8 MM |
| 11 | 949404 | X | Cable terminal | FOR CABLE AREA 1-2,5 SQMM, L = 6,4 MM B = 5,6 MM |
| | | X | Cable terminal | FOR CABLE AREA 0,75-1 SQMM, L = 7,4 MM B = 6,5 MM |
| | | X | Cable terminal | FOR CABLE AREA 1,5-2,5 SQMM., L = 7,7 MM B = 7,6 MM |
| | 881483 | X | Cable terminal | FOR CABLE AREA 1,5-2,5 SQMM., L = 7,7 MM B = 7,6 MM |
| | 881484 | X | Cable terminal | FOR CABLE AREA 3,0-6,0 SQMM., L = 7,7 MM B = 7,6 MM |
| 12 | | X | Cable terminal | FOR CABLE AREA 1-2,5 SQMM, L = 7,7 MM B = 7,4 MM |
| | | X | Cable terminal | FOR CABLE AREA 1,5-2,5 SQMM., L = 7,7 MM B = 7,6 MM |
| | | X | Cable terminal | FOR CABLE AREA 3,0-6,0 SQMM., L = 7,7 MM B = 7,6 MM |
| 13 | 941730 | X | Cable terminal | FOR CABLE AREA 1,5-2,5 SQMM., L = 7,7 MM B = 6,4 MM |
| | | X | Cable terminal | FOR CABLE AREA 1,5-2,5 SQMM., L = 7,7 MM B = 7,6 MM |
| | | X | Cable terminal | FOR CABLE AREA 1,5-2,5 SQMM., L = 7,7 MM B = 7,6 MM |
| 14 | | X | | POUR SECTION CABLE 0,5-1,5 MILLIM% ϵ 2TRE-CARR% ϵ 1, L = 6,2 MM B = 5,6 MM |
| | | X | Cable terminal | FOR CABLE AREA 1-2,5 SQMM, L = 7,6 MM B = 7,6 MM |
| | | X | Cable terminal | FOR CABLE AREA 3,0-6,0 SQMM., I.D = 4,4 MM D = 8 MM |
| 15 | 881489 | X | Cable terminal | FOR CABLE AREA 1,5-2,5 SQMM., I.D = 4,4 MM D = 9,8 MM |
| | | X | Cable terminal | FOR CABLE AREA 1,5-2,5 SQMM., I.D = 5,2 MM D = 8,7 MM |
| | | X | Cable terminal | FOR CABLE AREA 16 SQ MM., L = 8 MM B = 6,3 MM |
| 16 | | X | Cable terminal | FOR CABLE AREA 1,5-2,5 SQMM., L = 15,7 MM B = 6,3 MM |
| | | X | Cable terminal | FOR CABLE AREA 3,0-6,0 SQMM., L = 15,7 MM B = 6,3 MM |
| | | X | Cable terminal | FOR CABLE AREA 1,5-2,5 SQMM., L = 10 MM B = 6,3 MM |
| 17 | 881487 | X | Cable terminal | FOR CABLE AREA 1,5-2,5 SQMM., L = 10 MM B = 6,3 MM |
| | | X | Cable terminal | FOR CABLE AREA 3,0-6,0 SQMM., L = 10 MM B = 6,3 MM |
| | | X | Cable terminal | FOR CABLE AREA 1,5-2,5 SQMM., L = 10 MM B = 6,3 MM |
| 18 | 881518 | X | Cable terminal | FOR CABLE AREA 1,5-2,5 SQMM., L = 10 MM B = 6,3 MM |
| | | X | Cable terminal | FOR CABLE AREA 1,5-2,5 SQMM., L = 10 MM B = 6,3 MM |
| | | X | Cable terminal | FOR CABLE AREA 1,5-2,5 SQMM., L = 10 MM B = 6,3 MM |
| 19 | 839328 | X | Tab | L = 16,3 MM B = 6,3 MM |

230A, 230B, 250A, 250B

| REF | PART NO. | QTY | DESCRIPTION | NOTES |
|-----|----------|-----|--------------------------|-----------------------------------------------------------|
| 20 | | X | Cable terminal | I.D = 3,7 MM B = 6,3 MM 9 |
| | | X | Cable terminal, FLAT PIN | I.D = 4,1 MM B = 6,3 MM |
| | | | | STRAIGHT |
| | 944485 | X | Cable terminal, FLAT PIN | I.D = 5,2 MM B = 6,3 MM |
| | | | | STRAIGHT |
| | 942888 | X | Cable terminal | I.D = 5,2 MM B = 6,3 MM45 |
| | 829311 | X | Tab | I.D = 5,2 MM B = 6,35 MM4 |
| 21 | 942429 | X | Cable terminal | FOR CABLE AREA 1,5-2,5 SQMM., I.D = 1,8 MM L = 14,4 MM |
| 22 | 847041 | X | Sleeve, SLEEVE | FOR 846612 |
| | | | | REPL BY 849959 |
| | 849959 | X | Cable terminal | FOR 846612 |
| 23 | 847040 | X | Pin, PIN | FOR 846647 |
| | | | | REPL BY 849958 |
| | 849958 | X | Cable terminal | FOR 846647 |
| 24 | 948291 | X | Cable terminal | FOR CABLE AREA 2,5-4,5 SQMM, D = 3,56 MM L = 12,5 MM |
| | | | | REPL BY 965824 |
| | 965824 | X | Cable terminal | FOR 1608765 |
| 25 | 844280 | X | Clip | L = 61 MM |
| 26 | 954505 | X | Cable terminal | - POLE 70-90SQ MM |
| | 954506 | | Cable terminal | + POLE 70-90SQ MM |
| 27 | 956956 | X | Splice | POUR SECTION CABLE 0,5-1,5 MILLIM%ETRE-CARR%E1, L = 26 MM |
| | 956958 | X | Splice | FOR CABLE AREA 1,5-2,5 SQMM., L = 26 MM |
| | 956960 | X | Splice | FOR CABLE AREA 3,0-6,0 SQMM., L = 28 MM |
| 28 | 944221 | X | Housing | FOR 881489 |
| 29 | 858283 | X | Tape | |
| 30 | 949371 | X | Cable terminal | FOR 1598753 |
| 31 | 944306 | X | Connector | |
| 32 | 940336 | X | Cable terminal | FOR CABLE AREA 16 SQ MM., I.D = 8,4 MM D = 14 MM |