



22 39

REF	PART NO.	QTY	DESCRIPTION	NOTES
1			CONTROL CABLE FOR MANEUVERING THE AQUAMATIC DRIVE UNIT, THE HYDRAULICALLY OPERATED REVERSE GEAR AND ALSO FOR THE	
		X	Control cable	L = 1800 MM
		X	Control cable	L = 2100 MM
		X	Control cable	L = 2700 mm
		X	Control cable	L = 3000 MM
		X	Control cable	L = 3300 MM
		X	Control cable	L = 3600 MM
		X	Control cable	L = 3900 MM
		X	Control cable	L = 4200 MM
		X	Control cable	L = 4500 MM
		X	Control cable	L = 4800 MM
		X	Control cable	L = 5100 MM
	804361	X	Control cable	L = 5500 MM
		X	Control cable	L = 5900 MM
		X	Control cable	L = 6100 MM
	804440	X	Control cable	L = 6400 MM
		X	Control cable	L = 6700 MM
		X	Control cable	L = 7000 MM
		X	Control cable	L = 7300 MM
		X	Control cable	L = 7500 MM
	813907	X	Control cable	L = 7900 MM
		X	Control cable	L = 8500 MM
		X	Control cable	L = 8800 MM
		X	Control cable	L = 9500 MM
		X	Control cable	L = 11300 MM
		X	Control cable	L = 11600 MM
	827721	X	Control cable	L = 11900 MM
		X	Control cable	L = 12200 MM
		X	Control cable	L = 12500 MM
		X	Control cable	L = 13100 MM
2			CONTROL CABLE FOR MANEUVERING VOLVO PENTA REDUCTION REVERSE GEAR.	
		X	Control cable	L = 2100 MM

REF	PART NO.	QTY	DESCRIPTION	NOTES
2		X	Control cable	L = 2700 mm
		X	Control cable	L = 3300 MM
		X	Control cable	L = 3900 MM
		X	Control cable	L = 4500 MM