



REF	PART NO.	QTY	DESCRIPTION	NOTES
1		1	Upper gear	REPLACED BY 1EA 852161, 1EA 851267.
2		1	• Gear housing	
3		1	• • Gear housing cover	
4		1	• • • Screw	
5	804344	1	• • • Gasket	
6		1	• • • Shaft	
		1	• • Gear housing cover	
7		1	• • • BEARING SUPPORT	
8		1	• • • COVER	
9		1	• • • Pin	
10		1	• • Protecting cover	
11	940135	6	• Hexagon screw	
12	941907	6	• Spring washer	
13		X	• Adjusting washer	
		X	• Adjusting washer	
		X	• Adjusting washer	
14	940172	4	• Hexagon screw	
15		1	• Bearing housing	
16	804301	X	• Adjusting washer	TH = 0,05 MM
		X	• Adjusting washer	TH = 0.10mm
		X	• Adjusting washer	TH = 0.20mm
17	956568	6	• Hex. socket screw	
18		6	• Toothed washer	
19		2	• Ball bearing	
20	84219	X	• Shim	
21		1	• Intermediate ring	TH = 11,850 MM ALT
		1	• Intermediate ring	TH = 11,875 MM ALT
		1	• Intermediate ring	TH = 11,900 MM ALT
		1	• Intermediate ring	TH = 11,925 MM ALT
		1	• Intermediate ring	TH = 11,950 MM ALT
		1	• Intermediate ring	TH = 11,975 MM ALT
		1	• Intermediate ring	TH = 12,000 MM ALT
22		1	• Round nut	
23	907025	1	• Lock washer	
24		1	• Gear set	
25	181268	4	• Needle roller assemb	
26	813939	2	• Spacer ring	
27		1	• Sliding sleeve	
28		1	• • sliding sleeve	
29		1	• • Plug	
30	181287	2	• Ball bearing	
31		1	• Bearing sleeve	
32	951953	1	• Spring pin	
33	925257	2	• O-ring	
34		1	• Cover	
35		X	• Adjusting washer	TH = 0,05 MM
		X	• Adjusting washer	TH = 0.10mm
		X	• Adjusting washer	TH = 0.20mm
36	813941	2	• Spacer ring	TH = 5,0 MM ALT
		2	• Spacer ring	TH = 5,1 MM ALT
		2	• Spacer ring	TH = 5,2 MM ALT
		2	• Spacer ring	TH = 5,3 MM ALT
		2	• Spacer ring	TH = 5,4 MM ALT
37	850761	2	• Pin	
38	814030	2	• Lock ring	
39	813970	1	• Spring	
40		1	• Lock ring	
41	940315	2	• Cross recessed screw	
42		2	• Cross recessed sunk	
43		1	• Anchorage	
44		1	• Lever	
45		1	• Tensioning din	
46	925093	1	• O-ring	
47		1	• Rubber bellows	

REF	PART NO.	QTY	DESCRIPTION	NOTES
48	961677	2	· Hose clamp	
49		1	· Needle bearing	
50		1	· Gear	
51		1	· Piston	
52	813945	1	· Spring	
53		1	· Ball	
54		1	· Eccentric shaft	
55	958807	1	· Sealing ring	(940398)
56		1	· Companion flange	
57		1	· Oil dipstick	
58	804261	1	· Gasket	
59	951077	1	· Snap ring	
60		1	· Sign	
61	804269	4	· Drive screw	
62	804312	1	Cube	
63	940191	1	Washer	
64	17276	1	Split pin	
65		1	Universal joint	
66		1	Reverse locking rod	
67	813954	1	Fork	
68	940190	1	Hexagon nut	
69	192662	1	Split pin	
70	17253	2	Split pin	
71	940191	2	Washer	
72		1	Lever	
73		1	Hexagon screw	
74	940190	1	Hexagon nut	
75	940191	1	Washer	