

REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
1		1	Upper gear		
2		1	· Gear housing		
3		1	· Grooved pin		
4		1	· Support washer		
5		1	· Cover		
6		1	· · Screw		
7	804344	1	· · Gasket		
8		1	· · Washer		
9		1	· Gear set		
10		2	· Ball bearing		
11		1	· Bearing box		
12		X	· Intermediate ring		TH = 11,850 MM
		X	· Intermediate ring		TH = 11,875 MM
		X	· Intermediate ring		TH = 11,900 MM
		X	· Intermediate ring		TH = 11,925 MM
		X	· Intermediate ring		TH = 11,950 MM
		X	· Intermediate ring		TH = 11,975 MM
		X	· Intermediate ring		TH = 12,000 MM
		X	· Intermediate ring		TH = 12,025 MM
		X	· Intermediate ring		TH = 12,050 MM
		X	· Intermediate ring		TH = 12,075 MM
		X	· Intermediate ring		TH = 12,100 MM
13	907025	1	· Lock washer		
14		1	· Lock nut		
15	832952	1	· Gasket		
16		1	· Bearing cover		
17	958856	1	· Sealing ring		
18	955995	1	· O-ring		
19		1	· Stub axle		
20		1	· Hex. socket screw		
21		1	· Washer		
22	925094	1	· O-ring		
23	804301	X	· Adjusting washer		TH = 0,05 MM
		X	· Adjusting washer		TH = 0.10mm
		X	· Adjusting washer		TH = 0.20mm
24	959224	5	· Hex. socket screw		L = 35 MM
	959222	1	· Hex. socket screw		L = 25 MM
25	941907	6	· Spring washer		
26		1	· Bearing sleeve		
27	951953	1	· Spring pin		
28		1	· Anchorage		
29		4	· Hex. socket screw		
30	181287	2	· Ball bearing		
31	850290	1	· Shaft		
32	850303	1	· Sliding sleeve		
33	914456	1	· Snap ring		
34		1	· Shim		
35	813970	1	· Spring		
36	181268	4	· Needle roller assemb		
37	813939	3	· Spacer ring		
38	850761	2	· Pin		
39	87655	X	· Shim		TH = 0.10mm
	191840	X	· Shim		TH=0,15mm
40	813941	2	· Spacer ring		TH = 5.0 mm
		2	· Spacer ring		TH = 5,1 MM
		2	· Spacer ring		TH = 5,2 MM
		2	· Spacer ring		TH = 5,3 MM
		2	· Spacer ring		TH = 5,4 MM
41	814030	2	· Lock ring		
42	959224	4	· Hex. socket screw		
43		X	· Shim		TH = 0,05 MM
		X	· Shim		TH = 0.10mm
		X	· Shim		TH = 0.20mm
44	925257	1	· O-ring		

REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
45	852363	1	· Intermediate lever		(834021)
46	955270	2	· Hexagon screw		
47	955948	2	· Toothed washer		
48	955781	2	· Hexagon nut		
49	804312	1	· Cube		
50	955892	1	· Washer		
51	907834	1	· Split pin		
52	839505	1	· Bearing housing		
53	897816	1	· Eccentric piston		
			Bulletin P-44-1-7	P-44-1-7-EN	Shift mechanism, eccentric piston
54	897711	1	· Screw		
55	814184	1	· Spring		
56	897871	X	· Shim		TH = 0.20mm
57	839646	1	· Dog		
58	942871	1	· Clevis pin		
59	951924	1	· Spring pin		
60	958838	1	· Sealing ring		(941866)
61	925093	1	· O-ring		
62		1	· Cable attachment		
63	21471054	1	· Bracket		
64	819068	1	· Washer		
65	955246	2	· Hexagon screw		
66	946577	2	· Lock nut		
66A	940090	2	· Washer		
67	941906	4	· Spring washer		
68	955272	4	· Hexagon screw		
69	850207	1	· Oil dipstick		
70		1	· Tube		
71	925054	1	· O-ring		
72		1	· Bracket		
73	960148	4	· Washer		
74	955318	4	· Hexagon screw		
75	952076	1	· Plug		(946559)
76	852230	1	Tap		
77	801197	1	· Hose attachment		
78		1	Hose clamp		