



DRIVE DP290A

REF	PART NO.	QTY	DESCRIPTION	NOTES
1	852193	1	Gear under	E.U, RATIO 1,95:1
2	854051	1	• Housing	
3	854053	1	• • Bearing housing	
4	852643	2	• • Attaching plate	
5	948338	6	• • Pop rivet	
6	852644	1	• • Check valve	
7	854054	1	• Steering fin	
8	941817	1	• Screw	
9	852183	1	• Countershaft	
10	184654	1	• Needle bearing	
11	184682	1	• Cone	
12	852174	1	• Gear set	RATIO 1,95:1
13	852212	1	• Nut	
14	941832	X	• Adjusting washer	TH = 0,05 MM
	941833	X	• Adjusting washer	TH = 0,20 MM
15	183374	1	• Ball bearing	
16	944970	X	• Adjusting washer	TH = 1,60 MM
17	11072	1	• Roller bearing	
18	944522	X	• Shim	TH = 1,0 MM
	42981	X	• Shim	TH = 0,10 MM
	968057	X	• Shim	TH = 0,2 MM
	42980	X	• Shim	TH = 0,35 MM
19	897387	1	• Spacer ring	
20	907023	1	• Lock washer	IK
21	906633	1	• Nut	
22	814482	1	• Oil pump screen	
23	852904	1	• Magnetic plug	
24	955974	1	• O-ring	IK
25	852181	1	• Driveshaft	
25A	11044	1	• Bearing	
26	184765	1	• Roller bearing, COMPL.	
26A	184690	1	• • Bearing	REPL BY 184765
27	184689	1	• • Cup	REPL BY 184765
28	943252	X	• Adjusting washer	TH = 0,05 MM
	941823	X	• Adjusting washer	TH = 0,10 MM
	967351	X	• Adjusting washer	TH = 0,15 MM
	941824	X	Adjusting washer	TH = 0,20 MM
	941825	X	Adjusting washer	TH = 0,4 MM
29	184691	1	• Bearing	
30	81374	X	• Adjusting washer	TH = 0,10 MM
	81375	X	• Adjusting washer	TH = 0,15 MM
	81376	X	• Adjusting washer	TH = 0,35 MM
31	925258	2	• O-ring	IK
32	941812	2	• Screw	
33	875821	1	• Zinc ring kit	
		1	• • ZINC RING	
34	966808	2	• • Screw	
35	183859	1	• Needle bearing	
36	184683	1	• Cone	
37	851407	2	• Sealing ring	IK
38	853440	1	• Line cutter	(852198). FORWARD
38A	853584	1	• Plastic washer	FRONT
	854294	1	• Plastic washer	REAR
39	183272	1	• Needle bearing	
40	853871	1	• Sealing ring kit	IK SERIAL NO 3102023000-
41	853869	1	• Lock washer	
42	852196	1	• Propeller nut	
43	853441	1	• Line cutter	(852206). REAR
44	853825	1	• Propeller cone kit	REPL BY 854243. WHITE
	854243	1	• Propeller cone kit	GREY
45		1	• • PROPELLER CONE	
46	941670	1	• • • Washer	
47	852216	1	• • • Lock screw	IK

