



7007

REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
1		1	Reversing gear		RATIO 1:1
2	827617	1	• Companion flange		
3	959223	4	• Hex. socket screw		
4	941907	4	• Spring washer		
5	834036	1	• Cover		
6	852156	1	• Gasket		
7	958878	1	• Sealing ring		
8	914472	1	• Snap ring		
10	19578	1	• Ball bearing		
12	914540	1	• Snap ring		
13	914517	1	• Snap ring		
14		1	• Plug		
15	955997	1	• O-ring		
16		1	• Screw		
17	827665	1	• Washer		
18	827315	1	• Washer		
19	25930	X	• Shim		TH = 0.10mm
	120073	X	• Shim		TH = 0.50mm
21	827309	1	• Gear		
22	944013	1	• Key		
23	181268	4	• Needle roller assemb		
24	813939	2	• Spacer ring		
25	827590	1	• Sliding sleeve		
26	827310	1	• Gear		
27	914540	1	• Snap ring		
28	19578	1	• Ball bearing		
29	914472	1	• Snap ring		
30	827589	1	• Shaft		
31	850761	1	• Pin		
33	813941	1	• Spacer ring		
34	814030	1	• Lock ring		
35	827314	4	• Bushing		
36	183366	4	• Needle roller assemb		
37	827312	2	• Gear		
38	834008	2	• Spacer sleeve		
39	951931	2	• Tensioning din		
40	827313	2	• Planet shaft		
41		1	• Planetary housing		
42	960628	1	• Plug		
43	834452	1	• Gasket		
44	925063	1	• O-ring		
45		X	• Locking wire		L = 300 MM, EARLY TYPE
46		2	• Spring		EARLY TYPE
47		2	• Ball		EARLY TYPE
48	955272	4	• Hexagon screw		
49	839505	1	• Bearing housing		
50	814184	1	• Spring		
51	814603	1	• Dog		
52	958838		• Sealing ring		(941866)
53	951924	1	• Spring pin		
54	942871	1	• Clevis pin		
55	897816	1	• Eccentric piston		
			• Bulletin P-44-1-7	P-44-1-7-EN	Shift mechanism, eccentric piston
56	897871	X	• Shim		TH = 0.20mm
57	897711	1	• Screw		
58		1	• Oil dipstick		
60	925053	1	• O-ring		
61	15305	1	• Gasket		
62	198	1	• Screw		
63		1	• Bearing housing		
64	941907	4	• Spring washer		
65	955297	4	• Hexagon screw		
66		1	• Plug		EARLY TYPE
67	914462	1	• Snap ring		

