



2329

REF	PART NO.	QTY	DESCRIPTION	NOTES
1	233621	1	Alternator	28V 62A
2		1	• HOUSING	
3		4	• POLE SHOE	
4	956243	8	• Screw	
5	77842	1	• Field winding	SPOLE-COIL 1
6	77843	1	• Field winding	SPOLE-COIL 2
7	77844	1	• Field winding	SPOLE-COIL 3
8	77845	1	• Field winding	SPOLE-COIL 4
9	77846	1	• Isolation	
10	238964	2		
11	77848	1	• Bearing shield	
12	956079	7	• Screw	
13	941905	7	• Spring washer	
14	77849	1	• Washer	
15	956170	4	• Screw	
16	77850	1	• End plate	
17	76506	4	• Retainer	
18	72397	4	• Isolation plate	
19	18192	8	• Isolation	(243063)
20	243064	8	• Washer	
21	25261	8	• Washer	
22	941905	8	• Spring washer	
23	956076	8	• Screw	
24	243065	1	• Carbon brush	
25	77783	4	• Brush spring	
26	956074	4	• Screw	
27	941905	4	• Spring washer	
28	77852	2	• Connector	
29	956074	4	• Screw	
30	941905	4	• Spring washer	
31	35014	1		
32	956080	7	• Screw	
33	941905	7	• Spring washer	
34	77854	1	• Washer	
35	956059	4	• Screw	
36	241294	4	• Washer	
37	243066	1	• Rotor	
38	35316	1	• • Lock ring	
39	77871	1	• • Washer	
40	77870	1	• • Washer	
41	238971	1	• • Washer	
42	77866	1	• • Washer	
43	238970	1		
44	238972	2	• • Washer	
45	77869	1	• • Nut	
46	77865	1	• • Washer	
47	26413	X	• • Spacer	TH = 0,1 MM
	26412	X	• • Spacer	TH = 0,3 MM
48	77864	1	• • Spacer ring	
49	48227	2	• • Washer	
50	11012	1	• • Ball bearing	
51	77863	1	• • Ring	
52	77853	1	• Washer	
53	956064	4	• Screw	
54	241294	4	• Washer	
55	238998	1	• Washer	
56	35168	1	• Key	
57	941913	1	• Spring washer	
58	955806	1	• Nut	
59	238973	1	• Fan	
60	837644	1	• Clutch half	
61	956058	6	• Screw	
62	941904	6	• Spring washer	
63	35168	1	• Key	

REF	PART NO.	QTY	DESCRIPTION	NOTES
64	941913	1	· Spring washer	
65	955806	1	· Nut	
66	77874	1		
67	956074	3	· Screw	
68	77855	1		
69	956076	2	· Screw	
70	941905	2	· Spring washer	
71	870352	1	· Switch plate	
72	956079	2	· · Screw	
73	941905	2	· · Spring washer	
74	25261	2	· · Washer	
75	116435	3	· Screw	
76	956059	2	· Screw	
77	241294	2	· Washer	
78	77860	1		
79	77861	1		
80	77859	1		
81	940102	2	· Screw	
82	941905	2	· Spring washer	
83	48297	2		I.D = 8 MM
	77858	2	· Clamp	I.D = 13 MM