



REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
1	860718	1	Oil pump		SN-2203119085. REPLACED BY OIL PUMP 860721, 2EA SCREW 965184 AND SUCTION PIPE 861095.
				02A-2400	
	860721	1	Oil pump		SN2203119086-
				02A-2410	
2	948217	4	Flange screw		
3	860790	1	Reducing valve		
			Bulletin 44-32	44-32-EN	Reduction Valve D31, 41, 42
			Bulletin 44-32A	44-32A-EN	Reduction Valve D31, 41, 42
4	471115	1	• Reducing valve		
5	1542257	1	• Spring		
6	948343	1	• Washer		
7	914506	1	• Lock ring		
8	469482	1	O-ring		
9	1545271	1	Sealing ring		
10	1545272	1	Flange		
11	965183	2	Flange screw, SCREW		ALT L = 90 MM FOR 860718
	965184	2	Screw		ALT L = 100 MM FOR 860721
12	860821	1	Tube		
13	1542248	1	Flange		
14	1542385	3	Sealing ring		
15	946173	2	Flange screw		
16	859054	1	Suction pipe		SN-2203119085 FOR 860718
	861095	1	Suction pipe		SN2203119086- FOR 860721
17	946173	2	Flange screw		
18	948645	2	Lock nut		
19	960141	2	Washer		
20	859587	1	Baffle plate		
21	942385	2	Disc spring		
22	944926	2	Flange screw		
23	861152	1	Oil pan		(845887)
24	948187	1	• Plug		EARLY TYPE
25	18818	1	• Gasket		EARLY TYPE
26	861250	1	Gasket		(860684)
27	946440	26	Flange screw		
28	838794	1	Oil scavenging pipe		REPLACED BY PIPE 861099, CLAMP 946384 AND PLUG 943585.
28A	943835	1	Plug		
29	861099	1	Tube		
29A	943585	1	Protecting plug		
29B	946834	1	Clamp		
29C		1	SCREW		SEE GROUP 2B
30	843533	1	Rubber hose		
31	846007	1	Oil scavenging pipe		
32	843692	1	Tube		
33	843533	1	Rubber hose		
34	858685	1	Tube		REPLACED BY PIPE 861099, OIL DIPSTICK 861087 AND CLAMP 941565
35	838800	1	Oil dipstick		REPLACED BY PIPE 861099, OIL DIPSTICK 861087 AND CLAMP 941565
36	949187	1	• O-ring		
37	965175	1	Screw		
38	965217	2	Flange screw		
39	949657	1	O-ring		
40		1	OIL FILTER AND INSTALLATION COMPONENTS	02A-2510	
41	861099	1	Tube		

REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
42	946834	1	Clamp		
44		1	SCREW		SEE GROUP 2B
45	861087	1	Oil dipstick		
45A	960155	1	• O-ring		

