



11399

REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
1	860973	1	Injection pump		
2		1	• REGULATOR		
				02C-1920	
3	845744	1	• Sealing ring		
4	844144	1	• Rotor kit		
5	860034	1	• Support ring		
6	838334	2	• Screw		
7	244919	1	• Shaft		
8	844293	1	• Key		
9	844150	2	• Absorber	IK	
10	844147	1	• Gear		
11	844146	1	• Washer		
12	244920	1	• Washer		
13	244921	1	• Cam disc		
14	838445	1	• O-ring	IK	
15	859271	1	• Control plunger		
16	858907	1	• Sliding block		
17	859289	X	• Compression spring		ALT.L = 36,50 MM
	859290	X	• Compression spring		ALT.
	859291	X	• Compression spring		ALT.L = 36,70 MM
18	838445	1	• O-ring	IK	
19	844185	1	• Flange		
20	244923	2	• Screw		
21	860189	1	• Cover		
22	244923	2	• Screw		
23	244925	1			
24	243555	1	• Sealing ring	IK	
25	243531	X	• Adjusting washer		TH = 1,80 MM
	243534	X	• Adjusting washer		TH = 1,95 MM
	845726	X	• Adjusting washer		TH = 2,00 MM
	844155	X	• Adjusting washer		TH = 2,12 MM
	844156	X	• Adjusting washer		TH = 2,20 MM
	845729	X	• Adjusting washer		TH = 2,32 MM
	845730	X	• Adjusting washer		TH = 2,40 MM
	243545	X	• Adjusting washer		TH = 2,50 MM
	844158	X	• Adjusting washer		TH = 2,52 MM
	844161	X	• Adjusting washer		TH = 2,80 MM
26	845738	6	• Washer		
27	244927	6	• Delivery valve		
28	244928	6	• Compression spring		
29	244929	6	• Bushing		
30	244930	6	• Retainer		
31	244931	4	• Allen head screw		
32	243567	1	• Sealing ring	IK	
33	244959	1	• Control shaft		
34	244960	1	• Spacer ring		
35	859296	1	• Lever		
36	838345	2	• Screw		
37	838346	2	• Washer	IK	
38	859462	2	• Spring		
39	844217	1	• Nut		
40	838347	1	• Control shaft		
41	243786	1	• O-ring	IK	
42	845750	1	• Washer		ALT.TH = 1,30 MM
	845751	1	• Washer		ALT.TH = 1,35 MM
	844214	1	• Washer		ALT.TH = 1,40 MM
43	844213	1	• Control knob		
44	838348	1	• Spacer washer		
45	845754	1	• Control sleeve		
46	845755	1	• Cover		
47	845757	1	• Pin		L = 7,60 MM
	845758	1	• Pin		L = 7,80 MM
	845759	1	• Pin		L = 8,00 MM

REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
47	845760	1	· Pin		L = 8,20 MM
	845761	1	· Pin		L = 8,40 MM
	845762	1	· Pin		L = 8,60 MM
	845763	1	· Pin		L = 8,80 MM
	845764	1	· Pin		L = 9,00 MM
	845765	1	· Pin		L = 9,20 MM
	845766	1	· Pin		L = 9,40 MM
	845767	1	· Pin		L = 9,60 MM
	845768	1	· Pin		L = 9,80 MM
	845769	1	· Pin		L = 10,00 MM
	845770	1	· Pin		L = 10,20 MM
	845771	1	· Pin		L = 10,40 MM
48	244965	1	· Tension spring		
49	838402	1	· O-ring		
50	844171	1	· Plug		
51	947620	1	· · Gasket		
52		1	· · SCREW		
53	243521	1	· Sealing ring	IK	
54	243520	1	· Sealing ring	IK	
55	244683	1	· Valve		
56	243734	1	· Woodruff key		
57	955804	1	· Nut		
58	955925	1	· Spring washer		
59	876614	1	· Stop solenoid		12V (844187)
60	861208	1	· · Spring		
61		1	· · O-RING	IK	
62	859288	1	· Spare parts kit		
63	244974	1	· Retainer kit		
64	844164	1	· Spring kit		
65	844212	1	· Regulator weight		
66	859297	1	· Kit		
67	244425	1	· Adjusting washer		
68	844165	2	· Adjusting washer kit		
69	844215	1	· Adjusting washer kit		
70	844162	1	· Washer		
71	244809	1	· Washer		
72	243527	1	· Washer		
73	844163	2	· Washer		
74	244926	2	· , STEERING PIN		
	844240	X	Gasket kit		