



| REF | PART NO. | QTY | DESCRIPTION | SEE SEC. | NOTES |
|-----|----------|-----|------------------------|----------|----------------|
| 1 | | 1 | Upper gear | | |
| 2 | | 1 | · Gear housing | | |
| 3 | | 1 | · Grooved pin | | |
| 4 | | 1 | · Support washer | | |
| 5 | | 1 | · Cover | | |
| 6 | | 1 | · · Screw | | |
| 7 | 804344 | 1 | · · Gasket | | |
| 8 | | 1 | · · Washer | | |
| 9 | | 1 | · Gear set | | |
| 10 | | 2 | · Ball bearing | | |
| 11 | | 1 | · Bearing box | | |
| 12 | | X | · Intermediate ring | | TH = 11,850 MM |
| | | X | · Intermediate ring | | TH = 11,875 MM |
| | | X | · Intermediate ring | | TH = 11,900 MM |
| | | X | · Intermediate ring | | TH = 11,925 MM |
| | | X | · Intermediate ring | | TH = 11,950 MM |
| | | X | · Intermediate ring | | TH = 11,975 MM |
| | | X | · Intermediate ring | | TH = 12,000 MM |
| | | X | · Intermediate ring | | TH = 12,025 MM |
| | | X | · Intermediate ring | | TH = 12,050 MM |
| | | X | · Intermediate ring | | TH = 12,075 MM |
| | | X | · Intermediate ring | | TH = 12,100 MM |
| 13 | 907025 | 1 | · Lock washer | | |
| 14 | | 1 | · Lock nut | | |
| 15 | 832952 | 1 | · Gasket | | |
| 16 | | 1 | · Bearing cover | | |
| 17 | 958856 | 1 | · Sealing ring | | |
| 18 | 955995 | 1 | · O-ring | | |
| 19 | | 1 | · Stub axle | | |
| 20 | | 1 | · Hex. socket screw | | |
| 21 | | 1 | · Washer | | |
| 22 | 925094 | 1 | · O-ring | | |
| 23 | 804301 | X | · Adjusting washer | | TH = 0,05 MM |
| | | X | · Adjusting washer | | TH = 0.10mm |
| | | X | · Adjusting washer | | TH = 0.20mm |
| 24 | 959224 | 5 | · Hex. socket screw | | L = 35 MM |
| | 959222 | 1 | · Hex. socket screw | | L = 25 MM |
| 25 | 941907 | 6 | · Spring washer | | |
| 26 | | 1 | · Bearing sleeve | | |
| 27 | 951953 | 1 | · Spring pin | | |
| 28 | | 1 | · Anchorage | | |
| 29 | | 4 | · Hex. socket screw | | |
| 30 | 181287 | 2 | · Ball bearing | | |
| 31 | 850290 | 1 | · Shaft | | |
| 32 | 850303 | 1 | · Sliding sleeve | | |
| 33 | 914456 | 1 | · Snap ring | | |
| 34 | | 1 | · Shim | | |
| 35 | 813970 | 1 | · Spring | | |
| 36 | 181268 | 4 | · Needle roller assemb | | |
| 37 | 813939 | 3 | · Spacer ring | | |
| 38 | 850761 | 2 | · Pin | | |
| 39 | 87655 | X | · Shim | | TH = 0.10mm |
| | 191840 | X | · Shim | | TH=0,15mm |
| 40 | 813941 | 2 | · Spacer ring | | TH = 5.0 mm |
| | | 2 | · Spacer ring | | TH = 5,1 MM |
| | | 2 | · Spacer ring | | TH = 5,2 MM |
| | | 2 | · Spacer ring | | TH = 5,3 MM |
| | | 2 | · Spacer ring | | TH = 5,4 MM |
| 41 | 814030 | 2 | · Lock ring | | |
| 42 | 959224 | 4 | · Hex. socket screw | | |
| 43 | | X | · Shim | | TH = 0,05 MM |
| | | X | · Shim | | TH = 0.10mm |
| | | X | · Shim | | TH = 0.20mm |
| 44 | 925257 | 1 | · O-ring | | |

| REF | PART NO. | QTY | DESCRIPTION | SEE SEC. | NOTES |
|-----|----------|-----|----------------------|-------------|-----------------------------------|
| 45 | 852363 | 1 | · Intermediate lever | | (834021) |
| 46 | 955270 | 2 | · Hexagon screw | | |
| 47 | 955948 | 2 | · Toothed washer | | |
| 48 | 955781 | 2 | · Hexagon nut | | |
| 49 | 804312 | 1 | · Cube | | |
| 50 | 955892 | 1 | · Washer | | |
| 51 | 907834 | 1 | · Split pin | | |
| 52 | 839505 | 1 | · Bearing housing | | |
| 53 | 897816 | 1 | · Eccentric piston | | |
| | | | Bulletin P-44-1-7 | P-44-1-7-EN | Shift mechanism, eccentric piston |
| 54 | 897711 | 1 | · Screw | | |
| 55 | 814184 | 1 | · Spring | | |
| 56 | 897871 | X | · Shim | | TH = 0.20mm |
| 57 | 839646 | 1 | · Dog | | |
| 58 | 942871 | 1 | · Clevis pin | | |
| 59 | 951924 | 1 | · Spring pin | | |
| 60 | 958838 | 1 | · Sealing ring | | (941866) |
| 61 | 925093 | 1 | · O-ring | | |
| 62 | | 1 | · Cable attachment | | |
| 63 | 21471054 | 1 | · Bracket | | |
| 64 | 819068 | 1 | · Washer | | |
| 65 | 955246 | 2 | · Hexagon screw | | |
| 66 | 946577 | 2 | · Lock nut | | |
| 66A | 940090 | 2 | · Washer | | |
| 67 | 941906 | 4 | · Spring washer | | |
| 68 | 955272 | 4 | · Hexagon screw | | |
| 69 | 850207 | 1 | · Oil dipstick | | |
| 70 | | 1 | · Tube | | |
| 71 | 925054 | 1 | · O-ring | | |
| 72 | | 1 | · Bracket | | |
| 73 | 960148 | 4 | · Washer | | |
| 74 | 955318 | 4 | · Hexagon screw | | |
| 75 | 952076 | 1 | · Plug | | (946559) |
| 76 | 852230 | 1 | Tap | | |
| 77 | 801197 | 1 | · Hose attachment | | |
| 78 | | 1 | Hose clamp | | |