



9071

DRIVE SP-A

| REF | PART NO. | QTY | DESCRIPTION | NOTES |
|-----|----------|-----|------------------------|--------------|
| 1 | 854033 | 1 | Intermediate housing | |
| 2 | 897829 | 1 | • Gear yoke | |
| 3 | 897447 | 1 | • Shaft | |
| 4 | 897511 | 2 | • Washer | |
| 5 | 17253 | 1 | • Cotter pin | IK |
| 6 | 851412 | 1 | • Reverse locking rod | |
| 7 | 967556 | 1 | • • Spring pin | |
| 8 | 854100 | 1 | Suspension fork | |
| 9 | 940194 | 1 | • Nipple | |
| 10 | 852912 | 2 | • Bushing | |
| 11 | 853062 | 1 | • Bushing | |
| 11A | 853717 | 1 | • Decal | |
| 11B | 853716 | 1 | • Decal | |
| 12 | 853223 | 2 | Bushing | |
| 13 | 853967 | 1 | Guide washer | |
| 14 | 183391 | 1 | Needle bearing | |
| 15 | 181620 | 2 | Sealing ring | IK |
| 16 | 854034 | 1 | Cylinder anchorage | |
| 17 | | 1 | • SHAFT | |
| 18 | 853308 | 2 | Shoulder screw | |
| 19 | 853071 | 2 | Washer | |
| 20 | 946672 | 2 | Lock nut | |
| 21 | 853309 | 2 | Clevis pin | |
| 22 | 967707 | 2 | Cotter pin | |
| 23 | 814386 | 1 | Tube | |
| 24 | 897696 | 2 | Washer | |
| 25 | 854031 | 1 | Hose connection | |
| 26 | 814356 | 1 | Seal | IK |
| 27 | 941813 | 2 | Screw | |
| 28 | 853078 | 1 | Cable attachment | |
| 29 | 940168 | 2 | Screw | |
| 30 | 897644 | 1 | Tube | |
| 31 | 854035 | 1 | Reverse tilt inhibit | |
| 32 | 851402 | 1 | • Bearing sleeve | |
| 33 | 814391 | 2 | • Reverse tilt inhibit | |
| 34 | 814392 | 1 | • Spring hook | |
| 35 | 814419 | 1 | • Shaft | |
| 36 | 814422 | 2 | • Spacer washer | |
| 37 | 814393 | 1 | • Spring hook | |
| 38 | 943197 | 2 | • Nut | |
| 39 | 851424 | 1 | • Stop arm | |
| 40 | 832534 | 1 | • Spring | |
| 41 | 851403 | 1 | • Lock brace | |
| 42 | 851423 | 2 | • Pin | |
| 43 | 814396 | 1 | • Spring | |
| 44 | 814332 | 2 | • Spring | |
| 45 | 814399 | 1 | • Shaft | |
| 46 | 943194 | 2 | • Washer | |
| 47 | 814390 | 1 | Washer | |
| 48 | 853967 | 1 | Guide washer | |
| 49 | 804312 | 1 | Cube | |
| 50 | 940191 | 2 | Washer | |
| 51 | 17276 | 1 | Cotter pin | |
| 52 | 925259 | 1 | O-ring | IK |
| 53 | 125017 | 2 | O-ring | IK |
| 54 | 943252 | X | Adjusting washer | TH = 0,05 MM |
| | 943866 | X | Adjusting washer | TH = 0,10 MM |
| | 943867 | X | Adjusting washer | TH = 0,20 MM |
| | 967557 | X | Adjusting washer | TH = 0,30 MM |
| | 943868 | X | Adjusting washer | TH = 0,40 MM |
| 55 | 959456 | 2 | Allen head screw | |
| 55A | 942551 | 2 | Washer | |
| 56 | 941885 | 2 | Nut | |

DRIVE SP-A

| REF | PART NO. | QTY | DESCRIPTION | NOTES |
|-----|----------|-----|---------------|-------------|
| 57 | 941814 | 2 | Stud | |
| 58 | 897448 | 1 | Control rod | |
| 59 | 813954 | 1 | Control fork | |
| 60 | 192662 | 1 | Clevis pin | |
| 61 | 17253 | 2 | Cotter pin | |
| 62 | 940190 | 1 | Nut | |
| 63 | 940191 | 2 | Washer | |
| 64 | 941820 | 1 | O-ring | IK |
| 65 | 941808 | 2 | Screw | |
| 66 | 941809 | 1 | Screw | |
| 67 | | X | CONTROL CABLE | SEE GROUP 9 |