



7521

MS3C

| REF | PART NO. | QTY | DESCRIPTION | SEE SEC. | NOTES |
|-----|----------|-----|----------------------------------|----------|------------------|
| 1 | 852502 | 1 | Reversing gear | | RATIO 1,93:1 |
| | | | Bulletin 48-03 | 48-03-EN | Reverse Gear |
| 2 | 851673 | 1 | • Gear housing | | |
| 3 | 832667 | 1 | • Gear housing cover | | |
| 4 | 956585 | 3 | • Hex. socket screw | | |
| 5 | 814643 | 1 | • Hollow screw | | |
| 6 | 955989 | 1 | • O-ring | | |
| 7 | 839351 | 1 | • Oil dipstick | | |
| 8 | 897682 | 1 | • Gasket | | |
| 9 | 967352 | X | • Shim | | TH = 0,05 MM |
| | 943866 | X | • Shim | | TH = 0.1mm |
| | 943867 | X | • Shim | | TH = 0.2mm |
| | 943868 | X | • Shim | | TH = 0.4mm |
| 10 | 853542 | 1 | • Ball bearing | | (183729) |
| 11 | 832669 | 1 | • Gasket | | |
| 12 | 832644 | 1 | • Bearing sleeve | | |
| 13 | 853542 | 2 | • Ball bearing | | (183729) |
| 14 | 943869 | X | • Shim | | TH = 0,05 MM |
| | 946179 | X | • Shim | | TH = 0.1mm |
| | 943870 | X | • Shim | | TH = 0.2mm |
| 15 | 181359 | 4 | • Needle roller assemb | | |
| 16 | | 2 | • Spacer ring | | |
| 17 | 852371 | 1 | • Spindle | | |
| 18 | | 1 | • NUT | | |
| | 839332 | X | • • Nut | | ALT TH = 2,00 MM |
| | 839333 | X | • • Nut | | ALT TH = 2,37 MM |
| | 839334 | X | • • Nut | | ALT TH = 2,65 MM |
| 19 | 850433 | 1 | • Snap ring | | |
| 20 | 944522 | X | • Shim | | TH = 0,05 MM |
| | 42981 | X | • Shim | | TH = 0.1mm |
| | 42980 | X | • Shim | | TH = 0.35mm |
| 21 | 897312 | 2 | • Lock ring | | |
| 22 | 850422 | 1 | • Spacer ring | | |
| 23 | 852433 | 1 | • Wear washer | | |
| 24 | 951077 | 1 | • Snap ring | | |
| 25 | 26411 | 1 | • Shim | | |
| 26 | 813970 | 1 | • Spring | | |
| 27 | 852548 | 1 | • Sliding sleeve, sliding sleeve | | PZ-22152 |
| | 852949 | 1 | • • Sliding sleeve | | PZ 22153- |
| 28 | 181301 | 1 | • • Inner ring | | |
| 29 | 181302 | 1 | • • Cup | | |
| 30 | 852609 | 1 | • • Drive gear set | | |
| 31 | 184649 | 1 | • • Roller bearing | | |
| 32 | 967352 | X | • • Shim | | TH = 0,05 MM |
| | 941823 | X | • • Shim | | TH = 0.1mm |
| | 967351 | X | • • Shim | | TH=0,15mm |
| | 941824 | X | • • Shim | | TH = 0.2mm |
| | 967557 | X | • • Shim | | TH = 0.3mm |
| | 941825 | X | • • Shim | | TH = 0.4mm |
| 33 | | 1 | • • Bearing cover | | |
| 33A | 925257 | 1 | • • O-ring | | |
| 34 | 946472 | 4 | • • Flange screw | | |
| 35 | 947084 | 1 | • • Gasket | | (957175) |
| 36 | 960629 | 1 | • • Plug | | |
| 37 | 955974 | 1 | • • O-ring | | |
| 38 | 814179 | 1 | • • Plug | | |
| 39 | 875425 | 1 | • • Bearing box | | |
| 40 | 951940 | 1 | • • • Spring pin | | |
| 41 | 897772 | 1 | • • • Oil deflector | | EARLY TYPE |
| 42 | 183668 | 1 | • • • Roller bearing | | |
| 43 | 183247 | 1 | • • • Roller bearing | | |
| 44 | 925256 | 2 | • • O-ring | | |
| 45 | 941826 | X | • • Shim | | TH = 0,05 MM |

MS3C

| REF | PART NO. | QTY | DESCRIPTION | SEE SEC. | NOTES |
|-----|----------|-----|--------------------------|-------------|-----------------------------------|
| 45 | 941827 | X | • • Shim | | TH = 0.2mm |
| | 948230 | X | • • Shim | | TH = 0.35mm |
| 46 | 839253 | 1 | • • Sealing ring | | |
| 47 | 914538 | 1 | • • Snap ring | | |
| 48 | 832675 | 1 | • • Washer | | |
| 49 | 956000 | 1 | • • O-ring | | |
| 50 | | 1 | • • Intermediate section | | |
| 51 | 925257 | 1 | • • O-ring | | |
| 52 | 965185 | 6 | • • Flange screw | | |
| 53 | 850275 | 1 | • • Stub axle | | |
| 54 | 943871 | X | • • Shim | | TH = 0,05 MM |
| | 943872 | X | • • Shim | | TH = 0.1mm |
| | 943873 | X | • • Shim | | TH = 0.2mm |
| 55 | 839013 | 1 | • • Washer | | |
| 56 | | 1 | • • Screw | | |
| 57 | | 1 | • • Bearing housing | | |
| 58 | 946671 | 6 | • • Flange screw | | |
| 59 | 851496 | X | • • Adjusting washer | | TH = 0.1mm |
| | 851495 | X | • • Adjusting washer | | TH=0,15mm |
| | | X | • • Adjusting washer | | TH = 0.35mm |
| 60 | 925267 | 1 | • • O-ring | | |
| 61 | 183328 | 1 | • • Cup | | |
| 62 | 183327 | 1 | • • Inner ring | | |
| 63 | 852696 | 1 | • • Pretensioning sleeve | | |
| 64 | 852184 | X | • • Shim | | TH = 0,05 MM |
| 65 | 183668 | 1 | • • Roller bearing | | |
| 66 | 925063 | 1 | • • O-ring | | |
| 67 | 853757 | 1 | • • Sealing ring | | (959026) |
| 68 | 944530 | 1 | • • Sealing ring | | |
| 69 | 853481 | 1 | • • Flange | | |
| 70 | 850471 | 1 | • • Washer | | |
| 71 | 947855 | 1 | • • Flange lock nut | | |
| 72 | | 2 | • • Oil cooler | | |
| 73 | | 1 | • • Connection pipe | | |
| 74 | 960169 | 4 | • • O-ring | | |
| 75 | | 1 | • • End plate | | |
| 75A | 959207 | 4 | • • Hex. socket screw | | |
| 76 | 838929 | 2 | • • Electrode | | |
| 77 | 838928 | 2 | • • Plug | | |
| 78 | 959207 | 4 | • • Hex. socket screw | | |
| 79 | 942000 | 2 | • • Hex. socket screw | | |
| 80 | 941906 | 8 | • • Spring washer | | |
| 81 | 839504 | 1 | • • Shift mechanism | | |
| 82 | 839505 | 1 | • • • Bearing housing | | |
| 83 | 814603 | 1 | • • • Dog | | |
| 84 | 925093 | 1 | • • • O-ring | | |
| 85 | 814184 | 1 | • • • Spring | | |
| 86 | 958838 | 1 | • • • Sealing ring | | |
| 87 | 897816 | 1 | • • • Eccentric piston | | |
| | | | Bulletin P-44-1-7 | P-44-1-7-EN | Shift mechanism, eccentric piston |
| 88 | 951924 | 1 | • • • Spring pin | | |
| 89 | 942871 | 1 | • • • Clevis pin | | |
| 90 | 897711 | 1 | • • • Screw | | |
| 91 | 897871 | X | • • • Shim | | TH = 0.2mm |
| 92 | 852363 | 1 | • • Intermediate lever | | |
| 93 | 955270 | 2 | • • Hexagon screw | | |
| 94 | 955781 | 2 | • • Hexagon nut | | |
| 95 | 955948 | 2 | • • Toothed washer | | |
| 96 | 804312 | 1 | • • Cube | | |
| 97 | 955892 | 1 | • • Washer | | |
| 98 | 907834 | 1 | • • Split pin | | (17276) |
| 99 | | 1 | • • Cable attachment | | |
| 100 | 955273 | 4 | • • Hexagon screw | | |

MS3C

| REF | PART NO. | QTY | DESCRIPTION | SEE SEC. | NOTES |
|-----|----------|-----|-------------------|----------|---------------|
| 101 | 819068 | 1 | · · Washer | | |
| 102 | 21471054 | 1 | · · Bracket | | |
| 103 | 955246 | 2 | · · Hexagon screw | | |
| 104 | 946577 | 2 | · · Lock nut | | |
| 105 | 940090 | 2 | · · Washer | | |
| | 875628 | 1 | Gasket kit | | SEE GROUP 10A |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |