



REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
1	853398	1	Reversing gear		RATIO 1,93:1
2	853374	1	· Gear housing		
3	832667	1	· Gear housing cover		
4	956585	3	· Hex. socket screw		
5	814643	1	· Hollow screw		
6	955989	1	· O-ring		
7	839351	1	· Oil dipstick		
8	955974	1	· O-ring		
9	949071	X	· Shim		TH = 0.1mm
	949073	X	· Shim		TH = 0.35mm
	949072	X	· Shim		TH = 0.5mm
10	943866	X	· Shim		TH = 0.1mm
	943867	X	· Shim		TH = 0.2mm
	967557	X	· Shim		TH = 0.3mm
	943868	X	· Shim		TH = 0.4mm
11	853668	1	· Gear set		
12	832669	1	· Gasket		
13	832644	1	· Bearing sleeve		
14	853542	2	· Ball bearing		
15	943869	X	· Shim		TH = 0,05 MM
	946179	X	· Shim		TH = 0.1mm
	943870	X	· Shim		TH = 0.2mm
16	181359	4	· Needle roller assemb		
17		2	· Spacer ring		
18	853523	1	· Shaft		
19	839332	1	· Nut		ALT TH = 2,00 MM
	839333	1	· Nut		ALT TH = 2,37 MM
	839334	1	· Nut		ALT TH = 2,65 MM
20	850433	1	· Snap ring		
21	944522	X	· Shim		TH = 0,05 MM
	42981	X	· Shim		TH = 0.1mm
	42980	X	· Shim		TH = 0.2mm
22	897312	2	· Lock ring		
23	853528	1	· Spacer ring		
24	852433	1	· Wear washer		
25	951077	1	· Snap ring		
26	26411	1	· Shim		
27	813970	1	· Spring		
28	853420	1	· Sliding sleeve		
29	814179	1	· Plug		
30	897682	1	· Gasket		
31	181301	1	· Inner ring		
32	181302	1	· Cup		
33	853376	1	· Drive gear set		
34	184649	1	· Roller bearing		
35	967352	X	· Shim		TH = 0,05 MM
	941823	X	· Shim		TH = 0.1mm
	967351	X	· Shim		TH=0,15mm
	941824	X	· Shim		TH = 0.2mm
	941825	X	· Shim		TH = 0.4mm
36	852372	1	· Bearing cover		
37	925257	1	· O-ring		
38	946472	4	· Flange screw		
39	947084	1	· Gasket		
40	960629	1	· Plug		
41	853484	1	· Pretensioning sleeve		
42	183668	1	· Roller bearing		
43	853063	X	· Adjusting washer		TH = 0.1mm
	853064	X	· Adjusting washer		TH=0,15mm
	853065	X	· Adjusting washer		TH = 0.35mm
44	183247	1	· Roller bearing		
45	839253	1	· Sealing ring		
46	914538	1	· Snap ring		
47	832675	1	· Washer		

REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
48	956000	1	· O-ring		
49	853161	1	· Bearing housing		
50	925095	1	· O-ring		
51	967636	1	· Hex. socket screw		
52	949523	1	· Washer		
53	850275	1	· Stub axle		
54	853026	1	· Washer		
55		1	· Screw		
56	853366	1	· Bearing housing		
57	946671	6	· Flange screw		
58	853370	X	· Adjusting washer		TH = 0.1mm
	853369	X	· Adjusting washer		TH=0,15mm
	853368	X	· Adjusting washer		TH = 0.35mm
59	943244	1	· O-ring		
60	183328	1	· Cup		
61	183327	1	· Inner ring		
62	852696	1	· Pretensioning sleeve		
63	183668	1	· Roller bearing		
64	925063	1	· O-ring		
65	853757	1	· Sealing ring		(925026)
66	944530	1	· Sealing ring		
67	853481	1	· Flange		
68	850471	1	· Washer		
69	947855	1	· Flange lock nut		
70	853394	1	· Oil cooler		
71	853361	2	· Retainer		
72	851874	2	· Pipe connection		
73	965213	4	· Flange screw		
74	192134	2	· Plug		
75	960169	4	· O-ring		
76	959187	4	· Hex. socket screw		
77	853198	1	· Shift mechanism		
78	851662	1	· · Bearing housing		
79	839646	1	· · Dog		
80	925065	1	· · O-ring		
81	814184	1	· · Spring		
82	965215	2	· · Flange screw		
83	958838	1	· · Sealing ring		
84	897816	1	· · Eccentric piston		
			Bulletin P-44-1-7	P-44-1-7-EN	Shift mechanism, eccentric piston
85	951924	1	· · Spring pin		
86	942871	1	· · Clevis pin		
87	897711	1	· · Screw		
88	897871	1	· · Shim		
89	853225	1	· Intermediate lever		
90	955270	2	· Hexagon screw		
91	955781	2	· Hexagon nut		
92	955948	2	· Toothed washer		
93	804312	1	· Cube		
94	955982	1	· O-ring		
95	17276	1	· Split pin		
96	853180	1	· Bracket		
97	946440	2	· Flange screw		
98	819068	1	· Washer		
99	21471054	1	· Bracket		
100	955246	2	· Hexagon screw		
101	946577	2	· Lock nut		
102	940090	2	· Washer		
	876073	1	Gasket kit		SEE GROUP 10A