



Parts Catalog - Option Detail

Electronic Parts Catalog - Option Detail				
Option	Group	Graphic	Film Card	Date
FR9374	99.01	null	T	09-JUN-18
Engines	4B3.9, 6A3.4, 6B5.9, B GAS INTERNATIONAL CM556, B4.5, B4.5 CM2350 B129B, B4.5 CM2350 B146C, B4.5 CM2350 B147B, B4.5 RGT, B4.5S, B5.9 G, B5.9 GAS PLUS CM556, B5.9 LPG, B5.9 LPG PLUS CM556, B6.7 CM2350 B121B, B6.7 CM2350 B135B, B6.7 CM2350 B136C, B6.7 CM2350 B148B, B6.7 G CMOH6.0 B125, B6.7N CM2380 B150B, B6.7S, F3.8 CM2350 B146C, F3.8 CM2350 F120B, F3.8 CM2350 F128C, F3.8 CM2350 F132B, F3.8 CM2350 F133C, F3.8 F102, G3.9, G5.9, G5.9 CM558, ISB (CHRYSLER), ISB CM2150, ISB CM2150 E, ISB CM550, ISB CM850, ISB/ISD4.5 CM2150 B119, ISB/ISD4.5 CM2150 SN, ISB/ISD6.7 CM2150 B120, ISB/ISD6.7 CM2150 SN, ISB/ISD6.7 CM2880 B126, ISB3.9 CM2220 B107, ISB4.5 CM2150, ISB5.9G CM2180, ISB6.7 2010 DCX PICKUP, ISB6.7 2013 DCX CHASSIS CAB, ISB6.7 CM2150 SQ, ISB6.7 CM2250, ISB6.7 CM2350 B101, ISB6.7 CM2350 B103, ISB6.7 CM2350 B142, ISB6.7 CM2670 B153B, ISB6.7 G CM2180 B118, ISBE CM2150, ISBE CM800, ISBE2/ISBE3 CM850, ISBE4 CM850, ISD4.5 CM2150, ISD6.7 CM2880 D101, ISF2.8 CM2220, ISF2.8 CM2220 AN, ISF2.8 CM2220 EC, ISF2.8 CM2220 ECF2, ISF2.8 CM2220 F101, ISF2.8 CM2220 F117, ISF2.8 CM2220 F122, ISF2.8 CM2220 F126, ISF2.8 CM2220 F129, ISF2.8 CM2220 IAN, ISF3.8 CM2220, ISF3.8 CM2220 AN, ISF3.8 CM2220 F103, ISF3.8 CM2220 F110, ISF3.8 CM2220 F116, ISF3.8 CM2220 F134B, ISF3.8 CM2220 IAN, ISF3.8 CM2350 F109, ISF4.5 CM2220 F123, ISG11 CM2880 G106, ISG11 CM2880 G108, ISG12 CM2880 G107, ISG12 CM2880 G109, ISG12 G CMOH6.0 G111, QSB3.9 30 CM550, QSB3.9 CM2880 B138, QSB4.5 30 CM550, QSB4.5 CM2150 B108, QSB4.5 CM2250 B131, QSB4.5 CM2250 EC			

Cart	Ref No	Part Number	Part Description	Required	Remarks
View My Cart					
		FR9374	Fuel Rating		Fuel Rating...(More)
					Advertised HP: 208 @ 2100
					RPM
					Secondary Adv HP: N/A @ N/A
					RPM
					Governed HP: 208 @ 2100 RPM
					Governor Regulation (%): 2.6
					Torque Peak (lb-ft): 182 @
					1760
					Fuel Pump Manufacturer/Model:
					CAV DPA
					Fuel Pump Mounted Angle: 35
					degree
					Fuel Pump Type: Rotary

					High Pressure Fuel Line ID
					(mm): 2.0mm (0.08in)
					Low Idle Setting: 800
					High Idle: 2175
					Engine Application: Fire
					Pump
					SUPP Emission Test (gms/BHp-
					hr BSNOx): 6.0
					CPL: 1165
					Certification Agency: None,
					FM, UL, UL of Canada
					Engine Cylinders: 6
					Engine Family: B Series
					Structure Code: 02 EBM
					Manufacturer of Record:
					Cummins
					Fuel Type: Diesel
					Cylinder Head Material: Cast
					Iron
					Peak Power: 208
					Governor Break RPM: 2120
					Dual Power Rating: No
					FP Gear Timing (deg crank):
					0 deg retarded
					Engine Design Phase: Current
					Product
					Engine Aspiration: Jacket
					Water Aftercooled
					High Altitude (>10K feet)

					Rating: No
					Managed Torque: No
					Speed Sensor Location: N/A
					6 BTA 5.9 f-1.

© 2019 Cummins Inc., Box 3005, Columbus, IN 47202-3005 U.S.A.
Terms of Use and Disclaimers | Recommended System Requirements
Need Assistance? Please click on the Contact Us button in the top right corner of any page.