






## Parts Catalog - Option Detail

Electronic Parts Catalog - Option Detail				
Option	Group	Graphic	Film Card	Date
PP97028-03	02.01	kn951ga	T	12-OCT-98
<b>Engines</b>	4B3.9, 6A3.4, 6B5.9, B GAS INTERNATIONAL CM556, B4.5, B4.5 CM2350 B129B, B4.5 CM2350 B146C, B4.5 CM2350 B147B, B4.5 RGT, B4.5S, B5.9 G, B5.9 GAS PLUS CM556, B5.9 LPG, B5.9 LPG PLUS CM556, B6.7 CM2350 B121B, B6.7 CM2350 B135B, B6.7 CM2350 B136C, B6.7 CM2350 B148B, B6.7 G CMOH6.0 B125, B6.7N CM2380 B150B, B6.7S, F3.8 CM2350 F120B, F3.8 CM2350 F128C, F3.8 CM2350 F132B, F3.8 F102, G3.9, G5.9, G5.9 CM558, ISB (CHRYSLER), ISB CM2150, ISB CM2150 E, ISB CM550, ISB CM850, ISB/ISD4.5 CM2150 B119, ISB/ISD4.5 CM2150 SN, ISB/ISD6.7 CM2150 B120, ISB/ISD6.7 CM2150 SN, ISB/ISD6.7 CM2880 B126, ISB3.9 CM2220 B107, ISB4.5 CM2150, ISB5.9G CM2180, ISB6.7 2010 DCX PICKUP, ISB6.7 2013 DCX CHASSIS CAB, ISB6.7 CM2150 SQ, ISB6.7 CM2250, ISB6.7 CM2350 B101, ISB6.7 CM2350 B103, ISB6.7 CM2350 B142, ISB6.7 CM2670 B153B, ISB6.7 G CM2180 B118, ISBE CM2150, ISBE CM800, ISBE2/ISBE3 CM850, ISBE4 CM850, ISD4.5 CM2150, ISD6.7 CM2880 D101, ISF2.8 CM2220, ISF2.8 CM2220 AN, ISF2.8 CM2220 EC, ISF2.8 CM2220 ECF2, ISF2.8 CM2220 F101, ISF2.8 CM2220 F117, ISF2.8 CM2220 F122, ISF2.8 CM2220 F126, ISF2.8 CM2220 F129, ISF2.8 CM2220 IAN, ISF3.8 CM2220, ISF3.8 CM2220 AN, ISF3.8 CM2220 F103, ISF3.8 CM2220 F110, ISF3.8 CM2220 F116, ISF3.8 CM2220 F134B, ISF3.8 CM2220 IAN, ISF3.8 CM2350 F109, ISF4.5 CM2220 F123, ISG11 CM2880 G106, ISG11 CM2880 G108, ISG12 CM2880 G107, ISG12 CM2880 G109, ISG12 G CMOH6.0 G111, QSB3.9 30 CM550, QSB3.9 CM2880 B138, QSB4.5 30 CM550, QSB4.5 CM2150 B108, QSB4.5 CM2250 B131, QSB4.5 CM2250 EC, QSB4.5 CM2350 B106, QSB4.5 CM2350 B122			



kn951ga

SMALL | MEDIUM | LARGE

Cart	Ref No	Part Number	Part Description	Required	Remarks
<a href="#">View My Cart</a>					
		PP97028-03	Cylinder Head		<a href="#">Cylinder Head...(More)</a>
					Engine Family: B Series
					Cylinder: 6
					Swirl: High
					Exh Spring PSI: 30
					Exhaust Manifold Type: Wet
					Valve Seat Inserts: No
					Valve Bridge Scalloping: No
					Aspiration: Sea Water

					Aftercooled Turbocharged
					Premium cylinder head for
					high temperature
					applications.
					Contains valve seat inserts,
					rotators with springs and
					high temp exhaust valves.
					***DEP May substitute valve
					spring retainer
					3900299 for 3935038. Valve
					spring retainer
					3900299 is NOT compatible
					with CDC
					Manufacturing.
		3934750	Cylinder Head	1	
<input type="checkbox"/>	1	3934789	Cylinder Head	1	
	2	3812092	Expansion Plug	5	
<input type="checkbox"/>	3	3906619	Pipe Plug	2	1/8 NPT.
<input type="checkbox"/>	4	3008468	Pipe Plug	5	1/2 NPT.
<input type="checkbox"/>		3802355	Intake Valve	6	
<input type="checkbox"/>	5	3900250	Valve Collet	12	
<input type="checkbox"/>	11	3920867	Intake Valve	6	Serviced as 3802355
<input type="checkbox"/>		3802356	Exhaust Valve	6	
<input type="checkbox"/>	5	3900250	Valve Collet	12	
	12	3925175	Exhaust Valve	6	Serviced as 3802481
<input type="checkbox"/>	6	3935038	Valve Spring Retainer	6	
<input type="checkbox"/>	7	3925667	Valve Spring	6	
<input type="checkbox"/>	8	3921640	Valve Stem Seal	12	
<input type="checkbox"/>	9	3925666	Valve Rotator	6	

<input type="checkbox"/>	10	<a href="#">3926700</a>	Valve Spring	6	
<input type="checkbox"/>	13	<a href="#">3920779</a>	Hexagon Flange Head Cap Screw	6	M12 X 1.75 X 70
<input type="checkbox"/>	14	<a href="#">3920780</a>	Hexagon Flange Head Cap Screw	14	M12 X 1.75 X 120
<input type="checkbox"/>	15	<a href="#">3008469</a>	Pipe Plug	1	3/4 NPT
<input type="checkbox"/>	16	<a href="#">3904105</a>	Valve Insert		Exhaust
<input type="checkbox"/>	17	<a href="#">3906854</a>	Valve Insert		Intake
<input type="checkbox"/>	18	<a href="#">3904408</a>	Valve Stem Guide		Thick Wall 60.50mm Long
					intake
<input type="checkbox"/>	19	<a href="#">3904409</a>	Valve Stem Guide		Thick Wall 51.75mm Long
					exhaust
<input type="checkbox"/>	20	<a href="#">3906206</a>	Valve Stem Guide		Thin Wall Can be Used on
					intake and exhaust