




Parts Catalog - Option Detail

Electronic Parts Catalog - Option Detail				
Option	Group	Graphic	Film Card	Date
TP97303-03	10.06.2	tp959gf	T	04-APR-05
Engines	4B3.9, 6A3.4, 6B5.9, B GAS INTERNATIONAL CM556, B4.5, B4.5 CM2350 B129B, B4.5 CM2350 B146C, B4.5 CM2350 B147B, B4.5 RGT, B4.5S, B5.9 G, B5.9 GAS PLUS CM556, B5.9 LPG, B5.9 LPG PLUS CM556, B6.7 CM2350 B121B, B6.7 CM2350 B135B, B6.7 CM2350 B136C, B6.7 CM2350 B148B, B6.7 G CMOH6.0 B125, B6.7N CM2380 B150B, B6.7S, F3.8 CM2350 F120B, F3.8 CM2350 F128C, F3.8 CM2350 F132B, F3.8 F102, G3.9, G5.9, G5.9 CM558, ISB (CHRYSLER), ISB CM2150, ISB CM2150 E, ISB CM550, ISB CM850, ISB/ISD4.5 CM2150 B119, ISB/ISD4.5 CM2150 SN, ISB/ISD6.7 CM2150 B120, ISB/ISD6.7 CM2150 SN, ISB/ISD6.7 CM2880 B126, ISB3.9 CM2220 B107, ISB4.5 CM2150, ISB5.9G CM2180, ISB6.7 2010 DCX PICKUP, ISB6.7 2013 DCX CHASSIS CAB, ISB6.7 CM2150 SQ, ISB6.7 CM2250, ISB6.7 CM2350 B101, ISB6.7 CM2350 B103, ISB6.7 CM2350 B142, ISB6.7 CM2670 B153B, ISB6.7 G CM2180 B118, ISBE CM2150, ISBE CM800, ISBE2/ISBE3 CM850, ISBE4 CM850, ISD4.5 CM2150, ISD6.7 CM2880 D101, ISF2.8 CM2220, ISF2.8 CM2220 AN, ISF2.8 CM2220 EC, ISF2.8 CM2220 ECF2, ISF2.8 CM2220 F101, ISF2.8 CM2220 F117, ISF2.8 CM2220 F122, ISF2.8 CM2220 F126, ISF2.8 CM2220 F129, ISF2.8 CM2220 IAN, ISF3.8 CM2220, ISF3.8 CM2220 AN, ISF3.8 CM2220 F103, ISF3.8 CM2220 F110, ISF3.8 CM2220 F116, ISF3.8 CM2220 F134B, ISF3.8 CM2220 IAN, ISF3.8 CM2350 F109, ISF4.5 CM2220 F123, ISG11 CM2880 G106, ISG11 CM2880 G108, ISG12 CM2880 G107, ISG12 CM2880 G109, ISG12 G CMOH6.0 G111, QSB3.9 30 CM550, QSB3.9 CM2880 B138, QSB4.5 30 CM550, QSB4.5 CM2150 B108, QSB4.5 CM2250 B131, QSB4.5 CM2250 EC, QSB4.5 CM2350 B106, QSB4.5 CM2350 B122			



tp959gf

SMALL | MEDIUM | LARGE

Cart	Ref No	Part Number	Part Description	Required	Remarks
View My Cart					
		TP97303-03	Turbocharger Plumbing		Turbocharger Plumbing...(More)
					Engine Family: "B" Series
					Cylinders: 6
					Exhaust Outlet Location:
					Rmso from engine centerline
					(mm): -211.6 from crank
					centerline (mm): 36737 from
					front face of block (mm): -
					989.0 supply line routing:

					Inboard drain line location:
					From engine centerline (mm):
					-163.3 from crank centerline
					(mm): -8.2 from front face of
					block (mm): -673.0 wastegate
					sigot location: From engine
					centerline (mm): N/A from
					crank centerline (mm): N/A
					from front face of block
					(mm): N/A wastegate boost to
					AFC connection location:
					From engine centerline (mm):
					N/A from crank centerline
					(mm): N/A from front face of
					block (mm): N/A block
					mounted breather vent plumb
					provision: Drain line type:
					Rigid bearing housing cooling
					provision: Oil cooled.
<input type="checkbox"/>	1	196206	Clip	1	
<input type="checkbox"/>	2	3008466	Pipe Plug	1	1/4 NPT.
<input type="checkbox"/>	3	3078004	Mounting Spacer	1	
<input type="checkbox"/>	4	3286499	Plain Hose	1	
<input type="checkbox"/>	5	3412320	Hose Clamp	2	
<input type="checkbox"/>	6	3900630	Hexagon Flange Head Cap Screw	2	M8 X 1.25 X 20
<input type="checkbox"/>	7	3900631	Hexagon Flange Head Cap Screw	1	M8 X 1.25 X 25.
<input type="checkbox"/>		3922789	Male Connector	2	
<input type="checkbox"/>	8	3678603	O-Ring Seal	1	
	9	3922790	Male Connector	1	M12 X 1.50 X 11/16-16

<input type="checkbox"/>	10	3922794	O-Ring Seal	1	
<input type="checkbox"/>	11	3949499	Oil Drain Gasket	1	
<input type="checkbox"/>	12	3972892	Flexible Hose	1	
<input type="checkbox"/>	13	3977560	Turbocharger Oil Drain Connection	1	
<input type="checkbox"/>	14	3978226	Turbocharger Oil Drain Connection	1	

© 2019 Cummins Inc., Box 3005, Columbus, IN 47202-3005 U.S.A.
Terms of Use and Disclaimers | Recommended System Requirements
Need Assistance? Please click on the Contact Us button in the top right corner of any page.